

REFERENCE FILE 5

**James N. Butcher
MMPI-2 Research Project**

PERSONAL INJURY REFERENCES 2/8/17

This reference file contains references dealing with personal injury litigation, compensation, traumatic brain injury, chronic pain, and PTSD:

Abrams, K. R. (1994). An assessment of the impact of excessive medication use on the psychological functioning of chronic pain patients and the MMPI-2's ability to detect substance abuse among chronic pain patients, inpatient substance abusers and a normal control group. *Dissertation Abstracts International*, 55, 6704.

Adams, K. M. (1981). Use of the MMPI with patients who report chronic back pain. *Psychological Reports*, 48, 855-866.

Adams, K. M., Heilbronn, M., & Blumer, D. P. (1986). A multimethod evaluation of the MMPI in a chronic pain patient sample. *Journal of Clinical Psychology*, 42, 878-886.

Ahern, D. K., & Follick, M. J. (1985). Distress in spouses of chronic pain patients. *International Journal of Family Therapy*, 7, 247-257.

Akerlind, I., HornQuist, J. O., & Bjurulf, P. (1992). Psychological Factors in the long term prognosis of chronic low back pain patients. *Journal of Clinical Psychology*, 48(5), 596-605.

Aguerrevere, L. E., Greve, K. W., Bianchini, K. J., & Meyers, J. E. (2008). Detecting malingering in traumatic brain injury and chronic pain with an abbreviated version of the Meyers Index for the MMPI-2. *Archives of Clinical Neuropsychology*, 23(7-8), 831-838.

Aguerrevere, L. (2010). Multivariate cluster analysis of the MMPI-2 and MMPI-2-RF scales in spine pain patients with financial compensation: Characterization and validation of chronic pain subgroups. *University of New Orleans Theses and Dissertations*. Paper 1267.

Albrecht, N. N., & Talbert, F. S., Albrecht, J. W.; et al. (1994). A comparison of MMPI and MMPI-2 in PTSD assessment. *Journal of Clinical Psychology*, 50, 578-585.

Alexy, W. D., & Webb, P. M. (1999). Utility of the MMPI-2 in Work-Heardening Rehabilitation. *Rehabilitation Psychology*, 44(3), 266-273

Alfano, D. P., & Finlayson, M. (1987). Comparison of standard and abbreviated MMPIs in patients with head injury. *Rehabilitation Psychology*, 32, 67-76.

- Alfano, D. P., Paniak, C., & Finlayson, M. (1993). The MMPI and closed head injury: A neurocorrective approach. *Neuropsychiatry Neuropsychology & Behavioral Neurology*, 6, 111-116.
- Alfano, D. P., Neilson, P. M., Paniak, C. E., & Finlayson, M. (1992). The MMPI and closed-head injury. *Clinical Neuropsychologist*, 6, 134-142.
- Alyman, C. A. (1999). The relationship of personality disorders and persistent post-concussive syndrome in mild head injury. *Dissertation Abstracts International*, 59, 6482.
- Andreetto, U., & de Bertolini, C. (1999). Personality tests in the assessment of head traumas. *Medicina Psicosomática*, 44, 199-221
- Ansher, L. S. (2003). Use of the pain presentation inventory in comparing personality traits with symptom presentation. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 63(12-B), 6084. US: Univ Microfilms International.
- Arbisi, P. A. (2006). Use of the MMPI-2 in Personal Injury and Disability Evaluations. In Butcher, J.N. (Ed.), *MMPI-2: A practitioner's guide*, 407-441. Washington, DC: American Psychological Association.
- Arbisi, P. A., & Butcher, J. N. (2004). Failure of the FBS to predict malingering of somatic symptoms: Response to critiques by Greve and Bianchini and Lees Haley and Fox. *Archives of Clinical Neuropsychology*, Vol.19(3), 341-345.
- Arbisi, P. A. & Butcher, J. N. (2004). Psychometric perspectives on detection of malingering of pain: The use of the MMPI-2. *The Clinical Journal of Pain*, 20, 383-398.
- Arbisi, P. A., & Seime, R. J. (2006). Use of the MMPI-2 in Medical Settings. In Butcher, J.N. (Ed.), *MMPI-2: A practitioner's guide*, 273-299. Washington, DC: American Psychological Association.
- Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. (under review++). The ability of the MMPI-2 to detect feigned PTSD with in the context of disability evaluation: An analogue study contrasting mental health professional feigning PTSD and veterans undergoing disability evaluation for PTSD.
- Arbisi, P. A., Murdoch, M., Fortier, L., & McNulty, J. (2004). The relationship between MMPI-2 validity and award of service connection for PTSD during the compensation and pension evaluation. *Psychological Services*, 1(1), 56-67.
- Arce, R., Farina, F., Carballal, A., & Novo, M. (2006). Evaluating psychological injury in motor vehicle accidents (MVA): Development and validation of a protocol for detecting simulation. [Evaluacion del dano moral en accidentes de trafico: Desarrollo y validacion de un protocolo para la detección de la simulación.] *Psicothema*, 18(2), 278-283.

- Archambault, D. L. (1990). MMPI scale scores and demographic variables as predictors of medication dependency in chronic pain patients: A discriminative analysis. *Dissertation Abstracts International*, 51, 2666.
- Archer, R. P. (2006). *Forensic Uses of Clinical Assessment Instruments*. Mahwah, NJ: Lawrence Erlbaum Associates Publishers.
- Archer, R. P., Zoby, M., & Stredny, R. V. (2006). The Minnesota Multiphasic Personality Inventory-Adolescent. In Archer, R.P. (Ed.), *Forensic uses of clinical assessment instruments* (pp. 57-87). Mahwah, NJ: Lawrence Erlbaum Associates Publishers.
- Archibald, H. C. (1955). Referred pain in headache. *California Medicine*, 82, 186-187.
- Armentrout, D. P. (1982). Pain-patient MMPI subgroups: The psychological dimensions of pain. *Journal of Behavioral Medicine*, 5, 201-211.
- Aronoff, G. M. & Evans, W. O. (1982). The prediction of treatment outcome at a multidisciplinary pain center. *Pain*, 14, 67-73.
- Atkinson, J. H., Ingram, R. E., Kremer, E. F., & Saccuzzo, D. P. (1986). MMPI subgroups and affective disorder in chronic pain patients. *Journal of Nervous & Mental Disease*, 174, 408-413.
- Axelrod, B. N., & Lees-Haley, P. (2002). Construct validity of the PCSQ as related to the MMPI-2. *Archives of Clinical Neuropsychology*, 17(4), 343-350.
- Bacchiochi, J. R. (2006). Development and validation of the Malingering Discriminant Function Index (M-DFI) for the Minnesota Multiphasic Personality Inventory - 2 (MMPI-2). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(10-B), 5673.
- Bachiocco, V., Morselli, A. M., & Carli, G. (1993). Self-control expectancy and postsurgical pain: Relationships to previous pain, behavior in past pain, familial pain tolerance models, and personality. *Journal of Pain & Symptom Management*, 8, 205-214.
- Bailles, E., Pintor, L., Fernandez-Egea, E., Torres, X., Matrai, S., de Pablo, J., & Arroyo, S.(2004). Psychiatric disorders, trauma, and MMPI profile in a Spanish sample of nonepileptic seizure patients. *General Hospital Psychiatry*, 26(4), 310-315.
- Baldrachi, R., Hilsenroth, M., Arsenault, L., Sloan, P., & Walter, C. (1999). MMPI-2 assessment of varying levels of posttraumatic stress in Vietnam combat veterans. *Journal of Psychopathology and Behavioral Assessment*, 21, 109-116.
- Barnett, J. (1987). The comparative effectiveness of the Millon Behavioral Health Inventory (MBHI) and the Minnesota Multiphasic Personality Inventory (MMPI) as predictors of treatment outcome in a rehabilitation program for chronic low back pain. *Dissertation Abstracts International*, 48, 869-870.

- Barnett, M. D., Ledoux, T., Garcini, L. M., & Baker, J. (2009). Type D personality and chronic pain: Construct and concurrent validity of the DS14. *Journal of Clinical Psychology in Medical Settings*, 16(2), 194-199.
- Barnes, D., Gatchel, R. J., Mayer, T. G., & Barnett, J. (1990). Changes in MMPI profile levels of chronic low back pain patients following successful treatment. *Journal of Spinal Disorders*, 3(4), 353-355
- Baum, L. J. (2007). Validity of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) Restructured Clinical (RC) scales in a forensic setting. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(10-B), 6044.
- Beal, D. (1989). Assessment of malingering in personal injury cases. *American Journal of Forensic Psychology*, 7, 59-65.
- Beausoleil, R., & Rioux, S. (1983). Multi-dimensional treatment for patients suffering from chronic low-back pain: A comparative study. [French]. *Revue de Modification du Comportement*, 13, 107-116.
- Beckham, J. C., Crawford, A. L., Feldman, M. E., Kirby, A. C., Hertzberg, M. A., Davidson, J. R. T., & Moore, S. D. (1997). Chronic posttraumatic stress disorder and chronic pain in Vietnam combat veterans. *Journal of Psychosomatic Research*, 43(4) 379-389.
- Beniak, T., Heck, D., Erdahl, P. E. (1992, May). Intractable epilepsy: MMPI and MMPI-2 profiles Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI (MMPI-2) Minneapolis MN.
- Ben Porath, Y. S., & Archer, R. P. (2008). The MMPI-2 and MMPI-A. In Archer, R.P. & Smith, S.R. (Eds.), *Personality Assessment*, 81-131. New York, NY: Routledge/Taylor & Francis Group.
- Ben Porath, Y. S., & Tellegen, A. (2008). Empirical correlates of the MMPI-2 Restructured Clinical (RC) scales in mental health, forensic, and nonclinical settings: An introduction. *Journal of Personality Assessment*, 90(2), 119-121.
- Ben-Porath, Y.S., Greve, K.W., Bianchini, K.J., & Kaufmann, P.M. (2009). The MMPI-2 symptom validity scale (FBS) is an empirically validated measure of overreporting in personal injury litigants and claimants: Reply to Butcher et al. (2008). *Psychological Injury and Law*, 2, 62-85.
- Ben-Porath, Y.S., Greve, K.W., Bianchini, K.J., & Kaufmann, P.M. (2010). The MMPI-2 symptom validity scale (FBS) is an empirically-validated measure of over-reporting in personal injury litigants and claimants: Reply to William et al. (2009). *Psychological Injury and Law*, 3, 77-80.
- Bernstein, I. H. G. C. P. (1983). Hierarchical clustering of pain patients' MMPI profiles: A replication note. *Journal of Personality Assessment*, 47, 171-172.

- Berry, D. T. (1995). Overreporting of closed-head injury symptoms on the MMPI-2. *Psychological Assessment, 7*, 517-523.
- Berry, D., & Butcher, J. N. (1998). Detection of feigning of head injury symptoms on the MMPI-2. Chapter in C. Reynolds (Ed.) *Detection of malingering in head injury litigation*, 209-238. New York: Plenum.
- Berry, D. T. R., & Schipper, L. J. (2007). Detection of feigned psychiatric symptoms during forensic neuropsychological examinations. In Larrabee, G.J. (Ed.), *Assessment of malingered neuropsychological deficits*, 226-263. New York, NY: Oxford University Press.
- Bianchini, K. J., Etherton, J. L., Greve, K. W., Heinly, M. T., & Meyers, J. E. (2008). Classification accuracy of MMPI-2 validity scales in the detection of pain-related malingering: A known-groups study. *Assessment, 15*(4), 435-449.
- Bigos, S. J., Battie, M. C., Spengler, D. M., Fisher, L. D., W.E., F., Hansson, T. H., Nachemson, A. L., & Wortley, M. (1991). A prospective study of work perceptions and psychosocial factors affecting the report of back injury. *Spine, 16*, 1-6.
- Binder, L. M., & Rohling, M. L. (1996). Money matters: A meta-analytic review of the effects of financial incentives on recovery after closed head injury. *American Journal of Psychiatry, 153*, 7-10.
- Binder, L. M., & Salinsky, M. C. (2007). Psychogenic nonepileptic seizures. *Neuropsychology Review, 17*(4), 405-412.
- Block, A. R. (1999). Presurgical psychological screening in chronic pain syndromes: Psychosocial risk factors for poor surgical results. In R.J.Gatchel (Ed.), *Psychosocial factors in pain: Critical perspectives*, 390-400. New York, NY, USA: The Guilford Press.
- Boccaccini, M. T., & Brodsky, S. L. (1999). Diagnostic test usage by forensic psychologists in emotional injury cases. *Professional Psychology: Research & Practice, Vol 30*(3), 253-259.
- Boccaccini, M. T., Boothby, J. L., & Overduin, L. Y. (2006). Evaluating the Validity of Pain Complaints in Personal Injury Cases: Assessment Approaches of Forensic and Pain Specialists. *Journal of Forensic Psychology Practice, 6*(3), 51-62.
- Boone, K. B. (2007). *Assessment of feigned cognitive impairment: A neuropsychological perspective*. New York, NY: Guilford Press.
- Bow, J. N., Flens, J. R., & Gould, J. W. (2010). MMPI-2 and MCMI-III in forensic evaluations: A survey of psychologists. *Journal of Forensic Psychology Practice, 10*(1), 37-52.

- Bowler, R. M., Rauch, S. S., Becker, C. H., Hawes, A., Cone, J. D. (1989). Three patterns of MMPI profiles following neurotoxin exposure. *American Journal of Forensic Psychology*, 7, 15–31.
- Boyd, A. R., McLearen, A. M., Meyer, R. G., & Denney, R. L. (2007). *Detection of deception*. Sarasota, FL: Professional Resource Press/Professional Resource Exchange.
- Bradley, L. A., Prieto, E. J., Hopson, L., & Prokop, C. K. (1978). Comment on "Personality organization as an aspect of back pain in a medical setting." *Journal of Personality Assessment*, 42, 573-578.
- Bradley, L. A., & Van der Heide, L. H. (1984). Pain-related correlates of MMPI profile subgroups among back pain patients. *Health Psychology*, 3, 157-174.
- Brandwin, M. A., & Kewman, D. G. (1982). MMPI indicators of treatment response to spinal epidural stimulation in patients with chronic pain and patients with movement disorders. *Psychological Reports*, 51, 1059-1064.
- Brennan, A. F., Barrett, C. L., & Garretson, H. D. (1986). The prediction of chronic pain outcome by psychological variables. *International Journal of Psychiatry in Medicine*, 16, 373-387.
- Brennan, A. F., Barrett, C. L., & Garretson, H. D. (1987). The utility of McGill Pain Questionnaire subscales for discriminating psychological disorder in chronic pain patients. *Psychology & Health*, 1, 257-272.
- Brock, K. D. (2008). Assessment of malingered depression and pain with the MMPI-2 and Rorschach Inkblot Method. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(3-B), 2001.
- Brophy, A. L. (1996). Provisional statistics for MMPI-2 dependency, prejudice, social status, control, and low back pain scales. *Psychological Reports*, 78, 1075-1078.
- Brown, L. S. (2009). True drama or true trauma? Forensic trauma assessment and the challenge of detecting malingering. In Dell, P.F. & O'Neil, J.A. (Eds.), *Dissociation and the dissociative disorders: DSM-V and beyond*, 585-595. New York, NY: Routledge/Taylor & Francis Group.
- Brozek, J. H., Schiele B. (1948). Clinical significance of the Minnesota Multiphasic F scale evaluated in experimental neurosis. *American Journal of Psychiatry*, 105, 259–266.
- Brulot, M. M., Strauss, E., & Spellacy, F. (1997). Validity of the Minnesota Multiphasic Personality Inventory-2 correction factors for use with patients with suspected head injury. *Clinical Neuropsychologist*, 11, 391-401.
- Burchiel, K. J., Anderson, V. C., Wilson, B. J., Denison, D. B., Olson, K. A., & Shatin, D. (1995). Prognostic factors of spinal chord stimulation for chronic back and leg pain. *Neurosurgery*, 36(6), 1101-1111

- Burns, J. W. (2000). Repression predicts outcome following multidisciplinary treatment of chronic pain. *Health Psychology*, 19(1), 75-84.
- Burton, L. A., & Volpe, B. T. (1994). Depression after head injury: Do physical and cognitive sequelae have similar impact? *Journal of Neurologic Rehabilitation*, 8, 63-67.
- Bury, A. S., & Bagby, R. M. (2002). The detection of feigned uncoached and coached posttraumatic stress disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*. Vol. 14(4), 472-484.
- Butcher, J. N. (1985). Assessing psychological characteristics of personal injury or worker's compensation litigants. *Clinical Psychologist*, 38, 84-87.
- Butcher, J. N. (1995). Personality patterns of personal injury litigants: The role of computer-based MMPI-2 evaluations. In Y. S. Ben-Porath, J. R. Graham, G. C. N. Hall, R. D. Hirschman, & M. S. Zaragoza (Eds.), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage (Pp 179-201).
- Butcher, J. N. (1997a). Base-rate information for the personal injury samples in the Minnesota forensic study. Unpublished study.
- Butcher, J.N. (1997b). *User's guide to the Minnesota Report: Forensic System*. Minneapolis, Mn.: National computer systems.
- Butcher, J. N. (1997c). Frequency of MMPI-2 scores in forensic evaluations. *MMPI-2 News & Profiles*.
- Butcher, J. N. (2006). Writing Forensic Reports. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd ed.) (pp. 161-168). Washington, DC: American Psychological Association.
- Butcher, J. N. (2006). *MMPI-2: A Practitioner's Guide*. Washington, DC: American Psychological Association.
- Butcher, J. N. (2009). How to use computer-based reports. In Butcher, J.N. (Ed.), *Oxford handbook of personality assessment*, 693-706. New York, NY: Oxford University Press.
- Butcher, J. N. (2010). Personality assessment from the nineteenth to the early twenty-first century: Past achievements and contemporary challenges. *Annual Review of Clinical Psychology*, 6, 1-20.
- Butcher, J. N., & Ben-Porath, Y. S. (2004). Use of the MMPI-2 in medico legal evaluations: An alternative interpretation For the Senior & Douglas (2001) critique. *Australian Psychologist*, 39, 44-50.

- Butcher, J. N., & Harlow, T. C. (1987). Personality assessment in personal injury cases. In I.B. Weiner (Ed.), *Handbook of forensic psychology*, 128-154. New York, NY, USA: John Wiley & Sons.
- Butcher, J. N., Hass, G. & Paulsen, J. (2016). Clinical Assessment in International Settings. In F. T. L Leong, D. Bartram, F. M. Cheung, K. F. Geisinger & D. Illescu (Ed.). (pp. 217-230). Oxford University Press: International Handbook of Testing and Assessment. International Test Commission.
- Butcher, J. N., Hass, G. A., Greene, R. L. & Nelson, L. D. (2015). *Using the MMPI-2 in Forensic Assessment*. Washington, D.C.: American Psychological Association.
- Butcher, J. N., & Miller, K. B. (1999). Personality assessment in personal injury litigation. In A.K.Hess (Ed.), *The handbook of forensic Psychology*, (3rd Ed), 104-126. New York, NY, USA: John Wiley & Sons, Inc.
- Butcher, J. N., & Miller, K. B. (2006). Personality Assessment in Personal Injury Litigation. In Weiner, I.B. & Hess, A.K. (Eds.), *The handbook of forensic psychology* (3rd Ed.), 140-166. Hoboken, NJ: John Wiley & Sons Inc.
- Butcher, J. N., & Pope, K. S. (2006). The MMPI-A in Forensic Assessment. In Sparta, S.N. & Koocher, G.P. (Eds.), *Forensic mental health assessment of children and adolescents* (pp. 401-411). New York, NY: Oxford University Press.
- Butcher, J. N., Arbisi, P. A., Atlis, M. M., & McNulty, J. L. (2008). The construct validity of the Lees-Haley Fake Bad Scale: Does this scale measure somatic malingering and feigned emotional distress? *Archives of Clinical Neuropsychology*, 23(7-8), 855-864.
- Butcher, J. N., Hamilton, C. K., Rouse, S. V., & Cumella, E. J. (2006). The Deconstruction of the Hy Scale of MMPI-2: Failure of RC3 in Measuring Somatic Symptom Expression. *Journal of Personality Assessment*, 87(2), 186-192.
- Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. *Journal of Neurotherapy*, 1, 22-37.
- Cairns D., Mooney V., & Crane P. (1984). Spinal pain rehabilitation: Inpatient and outpatient treatment results and development of predictors for outcome. *Spine*, 9, 91–95.
- Caldirola, D. (1983). Incest and pelvic pain: The social worker as part of a research team. *Health & Social Work*, 8, 309-319.
- Caldwell, M. M. (2009). The impact of posttraumatic stress symptoms on long-term substance abuse treatment for women with children. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(10-B), 6402.
- Caldwell, A. B., & Chase, C. (1977). Diagnosis and treatment of personality factors in chronic low back pain. *Clinical Orthopaedics and Related Research*, Vol. 129: 141-149.

- Calsyn, D. A., Spengler, D. M., & Freeman, C. W. (1977). Application of the Somatization factor of the MMPI-168 with low back pain patients. *Journal of Clinical Psychology*, 33, 1017-1020.
- Cannon, D. S., Bell, W. E., Andrews, R. H., & Finkelstein, A. S. (1987). Correspondence between MMPI PTSD measures and clinical diagnosis. *Journal of Personality Assessment*, 51, 517-521.
- Carr, J. E., Brownsberger, C. N., & Rutherford, R. C. (1966). Characteristics of symptom-matched psychogenic and "real" pain patients on the MMPI. *Proceedings of the Annual Convention of the American Psychological Association*.
- Carracher, J. C. (1984). Analysis of the internal consistency of the three special MMPI low back pain scales. *Dissertation Abstracts International*, 45, 1008.
- Carragee, E. J. (2001). Psychological screening in the surgical treatment of lumbar disc herniation. *The Clinical Journal of Pain*, 17, 215-219.
- Caslyn, D. A., Louks, J., & Freeman, C. W. (1976). The use of the MMPI with chronic low back pain patients with a mixed diagnosis. *Journal of Clinical Psychology*, 32, 532-536.
- Castelnuovo-Tedesco, P. a. B. M. K. (1970). Psychosomatic aspects of chronic pelvic pain 188. *Psychiatry in Medicine*, 1, 109-126.
- Caston, J., Cooper, L., & Paley, H. (1970). Psychological comparison of patients with cardiac neurotic chest pain and angina pectoris. *Psychosomatics*, .v11, 543-550.
- Catchlove, R. F., Cohen, K. R., Braha, R. E., & Demers-Desrosiers, L. A. (1985). Incidence and implications of alexithymia in chronic pain patients. *Journal of Nervous & Mental Disease*, 173, 246-248
- Cattelani, R., Gugliotta, M., Maravita, A., & Mazzucchi, A. (1996). Post-concussive syndrome: Paraclinical signs, subjective symptoms, cognitive functions and MMPI profiles. *Brain Injury*, 10, 187-195.
- Cavenagh, N. A. (2009). An analysis of the differential power of the Fake Bad Scale of the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(11-B), 7132.
- Chaney, H. S., Williams, S. G., Cohn, C. K., & Vincent, K. R. (1984). MMPI results: A comparison of trauma victims, psychogenic pain, and patients with organic disease. *Journal of Clinical Psychology*, 40, 1450-1454.
- Chapman, S. L., & Brena, S. F. (1982). Learned helplessness and responses to nerve blocks in chronic low back pain patients. *Pain*, 14, 355-364.
- Charles, T. L. (2000). Usefulness of the Minnesota Multiphasic Personality Inventory-2 in detection of deception in a personal injury type forensic population. *Dissertation*

Abstracts International: Section B: the Sciences & Engineering, Vol. 60(10-B), 5221, US: Univ Microfilms International.

Chervinsky, A. B., Ommaya, A. K., deJonge, M., Spector, J., Schwab, K., & Salazar, A. M. (1998). Motivation for traumatic brain injury rehabilitation questionnaire (MOT-Q): Reliability, factor analysis, and relationship to MMPI-2 variables. *Archives of Clinical Neuropsychology*, 13, 433-446.

Chibnall, J. T., & Tait, R. C. (1999). Social and medical influences on attributions and evaluations of chronic pain. *Psychology and Health*, 14, 719-729.

Chodak, M. (1989). Application of MMPI to patients with low back pain. [Polish]. *Przeglad Psychologiczny*, 32, 793-806.

Christensen, M. (2007). Is the MMPI-2 appropriate for use with people with vision loss? *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(12-B), 7423.

Clark, S. A., Velasquez, R. J., & Callahan, W. J. (1993). MMPI-2 differences among Hispanic worker's compensation applicants by psychiatric diagnosis. *Journal of Applied Rehabilitation Counseling*, 24, 15-18.

Clark, M. E. (1996). MMPI-2 Negative Treatment Indicators Content and Content Component Scales: Clinical correlates and outcome prediction for men with chronic pain. *Psychological Assessment*, 8, 32-38.

Claros, L. B., Cano, M. M., Presa, A. M., Barcelo, J. F., Sataman, P. C., Roca, J. P., Alquezar, A. L., Gutierrez Zotes, J. A., & Pamias, M. J. (2006). Clinical profiles in Fibromyalgia patients of the community mental health center: A predictive index of psychopathological severity. *Actas Espanolas De Psiquiatria*, 34(2), 112-122.

Cohen, M. J., McArthur, D. L., Vulpe, M., & Schandler, S. L. (1988). Comparing chronic pain from spinal cord injury to chronic pain of other origins. *Pain*, 35, 57-63.

Cohen, N. J. (1987). The response of chronic pain patients to the original and revised versions of the Minnesota Multiphasic Personality Inventory. *Dissertation Abstracts International*, 48, 259.

Collet, L., Cottraux, J. A., & Juenet, C. (1986). Tension headaches: Relation between MMPI paranoia score and pain and between MMPI hypochondriasis score and frontalis EMG. *Headache*, 26, 365-368.

Collins, L. (1966). Family structure and pain reactivity. *Journal of Clinical Psychology*, 22, 33.

Collins, L. J. (1999). Select MMPI-2 scales and consistency of physical effort during trunk extension exercise as predictors of treatment outcome for functional restoration rehabilitation in chronic back pain patients. *Dissertation s International: Section B: the Sciences & Engineering*. Vol 59(10-B), 5573. US: Univ Microfilms International.

- Colotla, V. A., Bowman, M. L., & Shercliff, R. J. (2001). Test-Retest stability of injured workers' MMPI-2 profiles. *Psychological Assessment, 13*(4), 572-576.
- Collins, L. J. (1999). Select MMPI-2 scales and consistency of physical effort during trunk extension exercise as predictors of treatment outcome for functional restoration rehabilitation in chronic back pain patients. *Dissertation Abstracts International, 59*, 5573.
- Comer-Hilbert, D. R. (1993). The use of the Minnesota Multiphasic Personality Inventory in chronic pain patients suffering from headaches: Cluster analysis. *Dissertation Abstracts International, 53*, 5474.
- Constans, J. I., Lenhoff, K., & McCarthy, M. (1997). Depression subtyping in PTSD patients. *Annals of Clinical Psychiatry, 9*, 235-240.
- Costello, R. M., Hulsey, T. L., Schoenfeld, L. S., & Ramamurthy, S. (1987). P-A-I-N: A four-cluster MMPI typology for chronic pain. *Pain, 30*, 199-209.
- Crawford, E. F., Greene, R. L., Dupart, T. M., Bongar, B., & Childs, H. (2006). MMPI-2 assessment of malingered emotional distress related to a workplace injury: A mixed group validation. *Journal of Personality Assessment, 86*(2), 217-221.
- Cripe, L. I., Maxwell, J. K., & Hill, E. (1995). Multivariate discriminant function analysis of neurologic, pain, and psychiatric patients with the MMPI. *Journal of Clinical Psychology, 51*, 258-268.
- Crosbie, T. W. (2006). Psychological aspects of patients with Fabry disease. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 67*(5-B), 2828.
- Crowe, D. V. (1996). Efficacy of MMPI-2 content scales in the prediction of chronic pain treatment outcome. *Dissertation Abstracts International, 57*, 0692.
- Cripe, L. I. (1999). Use of the MMPI with mild closed head injury. In N.R. Varney (Ed.), *The evaluation and treatment of mild traumatic brain injury* (pp. 291-314). Mahwah, NJ, USA: Lawrence Erlbaum Associates, Inc.
- Cripe, L., Maxwell, J. K., & Hill E. (1995). Multivariate discrimination analysis of neurologic, pain, and psychiatric patients with the MMPI. *Journal of Clinical Psychology, 51*, 258-268.
- Curtiss, G., Kinder, B. N., Kalichman, S., & Spana, R. (1988). Affective differences among subgroups of chronic pain patients. *Anxiety Research, 1*, 65-73.
- Davidson, P. O., & McDougall, C. (1969). The generality of pain tolerance. *Journal of Psychosomatic Research, 13*, 83-89.

- Deardorff, W. W. (2000). The MMPI-2 and chronic pain. In R. J. Gatchel (Ed.), *Personality characteristics of patients with pain*, 109-125. Washington, DC, US: American Psychological Association.
- Deardorff, W. W., Chino, A. F., & Scott, D. W. (1993). Characteristics of chronic pain patients: Factor analysis of the MMPI-2. *Pain*, 54, 153-158.
- Dearth, C. S., Berry, D. T., Vickery, C. D., Vagnini, V. L., Baser, R. E., Orey, S. A., & Cragar, D. E. (2004). Detection of feigned head injury symptoms on the MMPI-2 in head injured patients and community controls. *Archives of Clinical Neuropsychology*, +++
- Demakis, G. J., Hammond, F., Knotts, A., Cooper, D. B., Clement, P., Kennedy, J., & Sawyer, T. (2007). The Personality Assessment Inventory in individuals with Traumatic Brain Injury. *Archives of Clinical Neuropsychology*, 22(1), 123-130. .
- Demers-Desrosiers, L. A., & Cohen, K. (1983). The measure of symbolic function in alexithymic pain patients. *Psychotherapy & Psychosomatics*, 39, 65-76.
- Denny, A. S. (1998). Predictors of return to work following a chronic pain rehabilitation program. *Dissertation Abstracts International*, 59(5-B), 2466.
- Dersh, J., Polatin, P. B., & Gatchel, R. J. (2002). Chronic pain and psychopathology: Research findings and theoretical considerations. *Psychosomatic Medicine*, 64(5), 773-786
- Dhanens, T. P., & Jarrett, S. R. (1984). MMPI Pain Assessment Index: Concurrent and predictive validity. *Clinical Neuropsychology*, 6, 46-48.
- Dikmen, S., Reitan, R. M., Temkin, N. R., & Machamer, J. E. (1992). Minor and severe head injury emotional sequelae. *Brain Injury*, 6, 477-478.
- Dixit-Brunet, A. (2006). A qualitative study exploring the factors that contribute to stress in women forensic psychologists who testify in court as expert witnesses. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(4-B), 2221.
- Dolce, J. J., Crocker, M. F., & Doleys, D. M. (1986). Prediction of outcome among chronic pain patients. *Behaviour Research & Therapy*, 24, 313-319.
- Donham, G. W., & Mikhail, S. (1984). Value of consensual ratings in differentiating organic and functional low back pain. *Journal of Clinical Psychology*, 40, 432-439.
- Dorris, G. G. (1993). The relationship between MMPI typology and compensation in chronic pain patients. *Dissertation Abstracts International*, 54, 1661.
- Dowdy, W. M. (1990). Pain as a symptom of depression. *Dissertation Abstracts International*, 50, 4450.
- Downing, S. K., Denney, R. L., Spray, B. J., Houston, C. M., & Halfaker, D. A. (2008). Examining the relationship between the Reconstructed scales and the Fake Bad Scale of

- the MMPI-2. *The Clinical Neuropsychologist*, 22(4), 680-688.
- DuAlba, L., & Scott, R. L. (1993). Somatization and malingering for workers' compensation applicants: A cross-cultural MMPI study. *Journal of Clinical Psychology*, 49, 913-917.
- Duckro, P. N., Margolis, R. B., & Tait, R. C. (1985). Psychological assessment in chronic pain. *Journal of Clinical Psychology*, 41, 499-504.
- Dufton, B. D. (1990). Depression and the mediation of chronic pain. *Journal of Clinical Psychiatry*, 51, 248-250.
- Dunn, J. T., & Lees-Haley, P. R. (1995). The MMPI-2 correction factor for closed-head injury: A caveat for forensic cases. *Assessment*, 2, 47-51.
- Dush, D. M., Simons, L. E., Platt, M., & Nation, P. C. (1994). Psychological profiles distinguishing litigating and nonlitigating pain patients: Subtle, and not so subtle. *Journal of Personality Assessment*, 62, 299-313.
- Dukarm, P. D. (2006). Detecting simulated cognitive impairment with MMPI-2 neurocorrection scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(6-B), 3447.
- Dzioba, R. B., Doxey, N. C. (1984). A prospective investigation into the orthopaedic and psychologic predictors of outcome of first lumbar surgery following industrial injury. *Spine*, 9, 614–623.
- Dzwierzynski, W. W., Grunert, B. K., Rusch, M. D., Zader, G., & Keller, D. (1999). Psychometric assessment of patients with chronic upper extremity pain attributed to workplace exposure. *Journal of Hand Surgery - American Vol*(2), 46-52.4,
- Eberly, R. E., Harkness, A. R., & Engdahl, B. E. (1991). An adaptational view of trauma response as illustrated by the prisoner of war experience. *Journal of Traumatic Stress*, 4, 363-380.
- Edwards, D. W., Dahmen, B. A., Wanlass, R. L., Homquist, L. A., Wicks, J. J., Davis, C., & Morrison, T. L. (2003). Personality assessment in neuropsychology: The nonspecificity of MMPI-2 neurocorrection methods. *Assessment*, 10(3), 222-227.
- Efendov, A.A., Sellbom, M., & Bagby, R.M. (2008). The utility and comparative incremental validity of the MMPI-2 and trauma symptom inventory validity scales in the detection of PTSD. Psychological Assessment*, 20, 317-326.
- Egle, U. (1991). Is an early differentiation between psychogenic and organic pain possible? Review of literature and results of a screening study. [German]. *Nervenarzt*, 62, 148-157.
- Egle, U. T., Schwab, R., Porsch, U., & Hoffmann, S. O. (1991). Ist eine fruehe Differenzierung psychogener von organischen Schmerzpatienten moeglich? Literaturuebersicht und

Ergebnisse einer Screeningstudie. / Is an early differentiation between psychogenic and organic pain possible? Review of literature and results of a screening study. *Nervenarzt*, Vol(62), 148-157.

Eisenman, R. (2006). Two Great MMPI-2 Books. *PsycCRITIQUES*, 51(50).

Elhai, J. D., Frueh, B. C., Gold, P. B., Gold, S. N., & Hamner, M. B. (2000). Clinical presentations of posttraumatic stress disorder across trauma populations: A comparison of MMPI-2 profiles of combat veterans and adult survivors of child sexual abuse. *Journal of Nervous and Mental Disease*, 188, 708-713.

Elhai, J. D., Gold, P. B., Frueh, B. C., & Gold, S. N. (2000). Cross-validation of the MMPI-2 in detecting malingered posttraumatic stress disorder. *Journal of Personality Assessment*, 75, 449-457.

Elhai, J.D., Gold, S.N., Mateus, L.F., & Astaphan, T.A. (2001). Scale 8 elevations on the MMPI-2 among women survivors of childhood sexual abuse: Evaluating posttraumatic stress, depression, and dissociation as predictors. *Journal of Family Violence*, 16, 47-58.

Elhai, J. D., Gold, S. N., Sellers, A. H., & Dorfman, W. I. (2001). The detection of malingered posttraumatic stress disorder with MMPI-2 fakebad indices. *Assessment*, 8, 217-232.

Elhai, J. D., Klotz Flitter, J. M., Gold, S. N., & Sellers, A. H. (2001). Identifying subtypes of women survivors of childhood sexual abuse: An MMPI-2 cluster analysis. *Journal of Traumatic Stress*, 14, 153-169.

Elhai, J. D., Naifeh, J. A., Zucker, I. S., Gold, S. N., Deitsch, S. E., Frueh, B. C., & Elhai, J. D. (2004). Discriminating malingered from genuine civilian posttraumatic stress disorder: A validation of three MMPI-2 infrequency scales (F, Fp, and Fptsd). *Assessment*, 11(2), 139-144.

Elkins, G. R., & Barrett, E. T. (1984). The MMPI in evaluation of functional versus organic low back pain. *Journal of Personality Assessment*, 48, 259-264.

Engdahl, B. E., Speed, N., Eberly, R. E., & Schwartz, J. (1991). Comorbidity of psychiatric disorders and personality profiles of American World War II prisoners of war. *Journal of Nervous & Mental Disease*, 179, 181-187.

Engdahl, B. E., Eberly, R. E., & Blake, J. D. (1996). Assessment of posttraumatic stress disorder in World War II veterans. *Psychological Assessment*, 8(4), 445-449.

Ercolani, M., & Erroi, G. (1990). Organic and psycho logic components of chronic pain: Differential diagnosis using language psychometric tests. [Italian]. *Medicina Psicosomatica*, 35, 3-11.

Etscheidt, M. A., Steger, H. G., & Braverman, B. (1995). Multidimensional Pain Inventory profile classifications and psychopathology. *Journal of Clinical Psychology*, 51, 29-36.

- Evans, R.W. (1994). The effects of litigation on treatment outcome with personal injury patients. *American Journal of Forensic Psychology, 12*(4), 19-34.
- Fairbank, J. A., Keane, T. M., & Malloy, P. F. (1983). Some preliminary data on the psychological characteristics of Vietnam veterans with posttraumatic stress disorders. *Journal of Consulting and Clinical Psychology, 51*, 912-919.
- Fairbank, J. A., McCaffrey R., & Keane T. M. (1985) Psychometric detection of fabricated symptoms of post-traumatic stress disorder. *American Journal of Psychiatry, 142*, 501-503.
- Feuerstein, M., & Thebarge, R. W. (1991). Perceptions of disability and occupational stress as discriminators of work disability in patients with chronic pain. *Journal of Occupational Rehabilitation, 1*, 185-195.
- Finlayson, R. E., Maruta, T., Morse, R. M., & Swenson, W. M. (1986). Substance dependence and chronic pain: Profile of 50 patients treated in an alcohol and drug dependence unit. *Pain, 26*, 167-174.
- Fisher, R. E. (1990). Diagnostic accuracy of the MMPI Depression Scale and a proposed subscale in a chronic pain population. *Dissertation Abstracts International, 50*, 4769-4770.
- Flamer, S., & Birch, W. (1992, May). Differential diagnosis of post-traumatic stress disorder in injured workers; Evaluating the MMPI-2. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI (MMPI-2), Minneapolis, MN.
- Follick, M. J., Smith, T. W., & Ahern, D. K. (1985). The Sickness Impact Profile: A global measure of disability in chronic low back pain. *Pain, 21*, 67-76.
- Forbes, D., Creamer, M., & McHugh, T. (1999). MMPI-2 data for Australian Vietnam Veterans with combat-related PTSD. *Journal of Traumatic Stress, 12*, 371-378.
- Forbes, D., Creamer, M., Allen, N., McHugh, T., Debenham, P., & Hopwood, M. (2003). MMPI-2 as a predictor of change in PTSD symptom clusters: A further analysis of the Forbes et al. (2002) data set. *Journal of Personality Assessment, 81*(2), 183-186.
- Fordyce, W. E. (1978). Relationship of patient semantic pain descriptions to physician diagnostic judgments, activity level measures and MMPI. *Pain, 5*, 293-303.
- Fordyce, W. E., Bigos, S. J., Batti'e, M. C., & Fisher, L. D. (1992). MMPI scale 3 as a predictor of back injury report: what does it tell us? *Clinical Journal of Pain, 8*(3), 222-226.
- Forfar, C. S. (1993). Keane's MMPI-PTSD scale: A false positive analysis. *Dissertation Abstracts International, 54*, 1664.

- Fow, N. R., Dorris, G., Sittig, M., & Smith-Seemiller, L. (2002). An analysis of the influence of insurance sponsorship on MMPI changes among patients with chronic pain. *Journal of Clinical Psychology*, 58(7), 827-832.
- Fow, N. R., Sittig, M., Dorris, G., & Breisinger, G. (1994). An analysis of the relationship of gender and age to MMPI scores of patients with chronic pain. *Journal of Clinical Psychology*, 50, 537-554.
- Fox, D. D., Gerson, A., & Lees-Haley, P. R. (1995). Interrelationship of MMPI-2 validity scales in personal injury claims. *Journal of Clinical Psychology*, 51, 42-47.
- Frixione, S. K. (1993). MMPI profile validity among workers' compensation claimants. *Dissertation Abstracts International*, 54(5-B), 2748.
- Franklin, C. L., Repasky, S. A., Thompson, K. E., Shelton, S. A., & Uddo, M. (2002). Differentiating overreporting and extreme distress: MMPI-2 use with compensation-seeking veterans with PTSD. *Journal of Personality Assessment*, 79(2), 274-285.
- Franklin, C. L., Repasky, S. A., Thompson, K. E., Shelton, S. A., & Uddo, M. (2003). Assessment of response style in combat veterans seeking compensation for posttraumatic stress disorder. *Journal of Traumatic Stress*, 16, 251-255.
- Franz, C., Paul, R., Bautz, M., & Chorba, B. (1986). Psychosomatic aspects of chronic pain: A new way of description based on MMPI item analysis. *Pain*, 26, 33-43.
- Fredrickson, B. E., Trief, P. M., VanBeveren, P., Yuan, H. A., & Baum, G. (1988). Rehabilitation of the patient with chronic back pain: A search for outcome predictors. *Spine*, 13(3), 351-353.
- Freeman, C., Calsyn, D., & Louks, J. (1976). The use of the Minnesota Multiphasic Personality Inventory with low back pain patients. *Journal of Clinical Psychology*, 32, 294-298.
- Freeman, C. W., Calsyn, D. A., Paige, A. B., & Halar, E. M. (1980). Biofeedback with low back pain patients. *American Journal of Clinical Biofeedback*, 3, 118-122.
- Frueh, B. (1994). The susceptibility of the Rorschach inkblot test to malingering of combat-related PTSD. *Journal of Personality Assessment*, 62, 280-298.
- Frueh, B. (1995). Interrelationship between MMPI-2 and Rorschach variables in a sample of Vietnam veterans with PTSD. *Journal of Personality Assessment*, 64, 312-318.
- Frueh, B. (1995). Self-administered exposure therapy by a Vietnam veteran with PTSD. *American Journal of Psychiatry*, 152, 1831-1832.
- Frueh, B. (1996). Racial differences on psychological measures in combat veterans seeking treatment for PTSD. *Journal of Personality Assessment*, 66, 41-53.
- Frueh, B. (1996). Compensation seeking status and psychometric assessment of combat veterans seeking treatment for PTSD. *Journal of Traumatic Stress*, 9, 427-440.

- Frueh, B. (1997). Symptom overreporting in combat veterans evaluated for PTSD: Differentiation on the basis of compensation seeking status. *Journal of Personality Assessment*, 68, 369-384.
- Frueh, B. (1997). A racial comparison of combat veterans evaluated for PTSD. *Journal of Personality Assessment*, 68, 692-702.
- Frueh, B. (2000). Apparent symptom overreporting in combat veterans evaluated for PTSD. *Clinical Psychology Review*, 20, US, Elsevier-885.
- Frueh, B. C., Elhai, J. D., Monnier, J., Hamner, M. B., & Knapp, R. G. (2004). Symptom patterns and service use among African American and Caucasian veterans with combat-related PTSD. *Psychological Services*, 1(1), 22-30.
- Frueh, B. C., Elhai, J. D., Hamner, M. B., Magruder, K. M., Sauvageot, J. A., & Mintzer, J. (2004). Elderly veterans with combat-related posttraumatic stress disorder in specialty care. *Journal of Nervous & Mental Disease*, 192(1), 75-79.
- Frye, R. (2007). Demoralization in predicting rehabilitation outcomes for injured persons with chronic pain and mild traumatic brain injury. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(5-B), 3395.
- Gagliese, L., Schiff, B. B., & Taylor, A. (1995). Differential consequences of left- and right-sided chronic pain. *Clinical Journal of Pain*, 11, 201-207.
- Gallagher, R. M., Williams, R. A., Skelly, J., & Haugh, L. D. (1995). Workers' compensation and return-to-work in low back pain. *Pain*, 61, 299-307.
- Gallagher, R. M., Rauh, V., Haugh, L. D., Milhous, R., Callas, P. W., Langlier, R., McClallen, J. M., & Frymoyer, J. (1989). Determinants of return-to-work among low back pain patients. *Pain*, 39, 55-67.
- Gandolfo, R. (1995). MMPI-2 profiles of worker's compensation claimants who present with complaints of harassment. *Journal of Clinical Psychology*, 51(5), 711-715.
- Ganellen, R. J. (2008). Rorschach assessment of malingering and defensive response sets. In Gacono, C.B., Barton, E.F., Kaser-Boyd, N., & Gacono, L.A. (Eds.), *The handbook of forensic Rorschach assessment* (pp. 89-119). New York, NY: Routledge/Taylor & Francis Group.
- Garcia, H.A., Franklin, C.L., & Chambliss, J. (2010). Examining MMPI-2 F-family scales in PTSD diagnosed veterans of Operation Enduring Freedom and Operation Iraqi Freedom. *Psychological Trauma: Theory, Research, Practice, and Policy*, 2, 126-129.
- Garrido, M., & Velasquez, R. (2006). Interpretation of Latino/Latina MMPI-2 Profiles: Review and Application of Empirical Findings and Cultural- Linguistic Considerations. In Butcher, J.N. (Ed.), *MMPI-2: A practitioner's guide*, 477-504. Washington, DC: American Psychological Association.

- Garron, D. C., & Leavitt, F. (1983). Chronic low back pain and depression. *Journal of Clinical Psychology*, 39, 486-493.
- Garron, D. C., & Leavitt, F. (1983). Psychological and social correlates of the Back Pain Classification Scale. *Journal of Personality Assessment*, 47, 60-65.
- Gasquoine, P. G. (2000). Postconcussion symptoms in chronic back pain. *Applied Neuropsychology*, 7, 83-89.
- Gass, C. S. (1991). MMPI-2 interpretation and closed head injury: A correction factor. *Psychological Assessment*, 3, 27-31.
- Gass, C. S. (1992). MMPI-2 interpretation of patients with cerebrovascular disease: A correction factor. *Archives of Neuropsychology*, 7, 17-27.
- Gass, C. (1996). MMPI-2 variables in attention and memory test performance. *Psychological Assessment*, 8, 135-138.
- Gass, C. S. (2009). Use of the MMPI-2 in neuropsychological evaluations. In Butcher, J.N. (Ed.), *Oxford handbook of personality assessment*, 432-456. New York, NY: Oxford University Press.
- Gass, C. S. A. C. (1997). Cognitive complaints in closed-head injury: Relationship to memory test performance and emotional disturbance. *Journal of Clinical & Experimental Neuropsychology*, 19, 290-299.
- Gass, C., Brown, M. C., (1992). Neuropsychological test feedback to patients with brain dysfunction. *Psychological Assessment*, 4, 272-277.
- Gass, C. S., & Wald, H. S. (1997). MMPI-2 interpretation and closed-head trauma: cross-validation of a correction factor. *Archives of Clinical Neuropsychology*, 12, 199-205.
- Gaston, L., Brunet, A., Koszycki, D., & Bradwejn, J. (1996). MMPI profiles of acute and chronic PTSD in a civilian sample. *Journal of Traumatic Stress*, 9, 817-832.
- Gatchel, R. J. (2000). *Personality characteristics of patients with pain*. Washington, DC, US: American Psychological Association.
- Gatchel, R. J. (2000). How practitioners should evaluate personality to help manage patients with chronic pain. In R. J. Gatchel (Ed.), *Personality characteristics of patients with pain*, 241-257. Washington, DC, US: American Psychological Association.
- Gatchel, R. J., & Gardea, M. A. (1999). Psychosocial issues: their importance in predicting disability, response to treatment, and search for compensation. *Neurologic Clinics*, 17, 149-166.

- Gatchel, R. J., Polatin, P. B., & Kinney, R. K. (1995). Predicting outcome of chronic back pain using clinical predictors of psychopathology: A prospective analysis. *Health Psychology, 14*, 415-420.
- Gatchel, R.J., Polatin, P.B., & Mayer, T.G. (1995). The dominant role of psychosocial risk factors in the development of chronic low back pain disability. *Spine, 20* (24), 2702-2709.
- Gentry, W. D. et al., (1974). Chronic low back pain: A psychological profile. *Psychosomatics, 15*, 174-177.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Green, P. (2007). Development and validation of a Response Bias Scale (RBS) for the MMPI-2. *Assessment, 14*(2), 196-208.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Green, P. (2008). Differential sensitivity of the Response Bias Scale (RBS) and MMPI-2 validity scales to memory complaints. *The Clinical Neuropsychologist, 22*(6), 1061-1079.
- Gervais, R. O., BenPorath, Y. S., Wygant, D. B., & Green, P. (2009). "Differential sensitivity of the Response Bias Scale (RBS) and MMPI-2 validity scales to memory complaints": Erratum. *The Clinical Neuropsychologist, 23*(3), 549.
- Glassmire, D. M., Kinney, D. I., Greene, R. L., Stolberg, R. A., Berry, D. T. R., & Cripe, L. (2003). Sensitivity and specificity of MMPI-2 neurologic correction factors: Receiver operating characteristic analysis. *Assessment, 10*(3), 299-309.
- Gold, P. B., & Frueh, C. B. (1999). Compensation-seeking and extreme exaggeration of psychopathology among combat veterans evaluated for posttraumatic stress disorder. *Journal of Nervous & Mental Disease, 187*, 680-684.
- Golden, Z., & Golden, C. J. (2003). The differential impacts of Alzheimer's dementia, head injury, and stroke on personality dysfunction. *International Journal of Neuroscience, 113*(6), 869-878.
- Goldstein, G., Van Kammen, W., Shelly, C., & Miller, D. J. (1987). Survivors of imprisonment in the Pacific theater during World War II. *American Journal of Psychiatry, 144*, 1210-1213.
- Goodman-Delahunty, J., & Foote, W. E. (1995). Compensation for pain and suffering and other psychological injuries: The impact of Daubert on employment discrimination claims. *Behavioral Sciences and the Law, 13*, 183-206.
- Gordon, R. M., Stoffey, R., & Bottinelli, J. (2008). MMPI-2 findings of primitive defenses in alienating patients. *American Journal of Family Therapy, 36*(3), 211-228.
- Gow, C. H. (2010). Understanding emotional and cognitive factors in symptom validity testing. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70*(7-B), 4483.

- Graves, G. J. (1996). The back pain classification scale and the Minnesota Multiphasic Personality Inventory: A comparative analysis. *Dissertation Abstracts International*, 56, 5767.
- Greenblatt, R. L., & Davis, W. E. (1999). Differential diagnosis of PTSD, schizophrenia, and depression with the MMPI-2. *Journal of Clinical Psychology*, 55(2), 217-223.
- Greene, R. L. (2007). Forensic Applications of the Minnesota Multiphasic Personality Inventory-2. In Goldstein, A.M. (Ed.), *Forensic psychology: Emerging topics and expanding roles*, 73-96. Hoboken, NJ: John Wiley & Sons Inc.
- Greiffenstein, M. F., Fox, D., & LeesHaley, P. R. (2007). The MMPI-2 Fake Bad Scale in detection of noncredible brain injury claims. In Boone, K.B. (Ed.), *Assessment of feigned cognitive impairment: A neuropsychological perspective*, 210-235. New York, NY: Guilford Press.
- Greiffenstein, M. F., Baker, W. J., Tsushima, W. T., Boone, K., & Fox, D. D. (2010). MMPI-2 validity scores in defense-versus plaintiff-selected examinations: A repeated measures study of examiner effects. *The Clinical Neuropsychologist*, 24(2), 305-314.
- Greiffenstein, M. F., & Baker, W. J. (2001). Comparison of premorbid and postinjury MMPI-2 profiles in late postconcussion claimants. *The Clinical Neuropsychologist*, 15, 162-170.
- Greiffenstein, M. F., Baker, W. J., Gola, T., Donders, J. & Miller, L. J. (2002). The FBS in a typical and severe closed head injury litigants. *Journal of Clinical Psychology*, 58, 1591-1600.
- Grubman, J. A. (1984). A cluster analysis of MMPI profiles of low back pain patients. *Dissertation Abstracts International*, 45, 1286.
- Grushka, M., Sessle, B. J., & Miller, R. (1987). Pain and personality profiles in burning mouth syndrome. *Pain*, 28, 155-167.
- Guck, T. P., Meilman, P. W., & Skultety, F. (1987). Pain Assessment Index: Evaluation following multidisciplinary pain treatment. *Journal of Pain & Symptom Management*, 2, 23-27.
- Guck, T. P., Meilman, P. W., & Skultety, F. (1988). Pain-patient Minnesota Multiphasic Personality Inventory (MMPI) subgroups: Evaluation of long-term treatment outcome. *Journal of Behavioral Medicine*, 11, 159-169.
- Haggard, R. A., Stowell, A. W., Bernstein, D., & Gatchel, R. J. (2008). Relationship between the MMPI-2 and psychosocial measures in a heterogeneous pain population. *Rehabilitation Psychology*, 53(4), 471-478.

- Haley, W. E., Turner, J. A., & Romano, J. M. (1985). Depression in chronic pain patients: Relation to pain, activity, and sex differences. *Pain*, 23, 337-343.
- Hansen, F. R., Biering-Sorensen, F., & Schroll, M. (1995). Minnesota Multiphasic Personality Inventory profiles in persons with or without low back pain. *Spine*, 20(24), 2716-2720.
- Hanvik, L. J. (1949). *Some psychological dimensions of low back pain*. University of Minnesota.
- Hanvik, L. J. (1951). MMPI profiles in patients with low-back pain. *Journal of Consulting Psychology*, 15, 350-353.
- Hare, R. D. (1965). Psychopathy, fear arousal and anticipated pain. *Psychological Reports*, 16, 499-502.
- Hart, R. R. (1984). Chronic pain: Replicated multivariate clustering of personality profiles. *Journal of Clinical Psychology*, 40, 129-133.
- Hasemann, D. M. (1998). Practices and findings of mental health professionals conducting workers' compensation evaluations. *Dissertation Abstracts International*, 58, 6236.
- Hasenbring, M., Marienfeld, G., Kuhlendahl, D., & Soyka, D. (1994). Risk factors of chronicity in lumbar disc patients: A prospective investigation of biologic, psychologic, and social predictors of therapy outcome. *Spine*, 19(24), 2759-2765.
- Hastie, B. A. (2002). Comparisons of validity and pain treatment outcome measures in the multidimensional pain inventory and the MMPI-2 in a chronic headache and orofacial pain population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol. 63(2-B), 1028
- Haven, G. A. & Cole, K. M. (1972). Psychological correlates of low back pain syndrome and their relationship to the effectiveness of low back pain program 527. *Newsletter for Research in Psychology*, 14, 31-33.
- Heaton, R. K., Chelune, G. J., Lehman, R. A. W. (1978). Using neuropsychological and personality tests to assess the likelihood of patient employment. *Journal of Nervous and Mental Disease*, 166, 408-416.
- Helmes, E. (2008). Response distortion in applications of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) in offender rehabilitation. *Journal of Offender Rehabilitation*, 47(1-2), 101-120.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., & Enders, C. (2006). The Henry-Heilbronner Index: A 15-item empirically derived MMPI-2 subscale for identifying probable malingering in personal injury litigants and disability claimants. *The Clinical Neuropsychologist*, 20(4), 786-797.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Domboski, K. (2009).

Comparison of the MMPI-2 Restructured Demoralization Scale, Depression Scale, and Malingered Mood Disorder Scale in identifying non-credible symptom reporting in personal injury litigants and disability claimants. *The Clinical Neuropsychologist*, 23(1), 153-166.

- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Roberts, D. M. (2008). Empirical derivation of a new MMPI-2 scale for identifying probable malingering in personal injury litigants and disability claimants: The 15-item Malingered Mood Disorder Scale (MMDS). *The Clinical Neuropsychologist*, 22(1), 158-168.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczak, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale 1 in identifying noncredible symptom reporting. *The Clinical Neuropsychologist*, 22(5), 919-929.
- Henry, G.K., Heilbronner, R.L., & Mittenberg, W. (2008). Empirical derivation of a new MMPI-2 scale for identifying probable malingering in personal injury litigants and disability claimants: The 15-item malingered mood disorder scale (MMDS). *The Clinical Neuropsychologist*, 22,158-168.
- Greene, R. L. (2007). Forensic Applications of the Minnesota Multiphasic Personality Inventory-2. In Goldstein, A.M. (Ed.), *Forensic psychology: Emerging topics and expanding roles* (pp. 73-96). Hoboken, NJ: John Wiley & Sons Inc.
- Greiffenstein, M. F., Baker, W. J., Tsushima, W. T., Boone, K., & Fox, D. D. (2010). MMPI-2 validity scores in defense-versus plaintiff-selected examinations: A repeated measures study of examiner effects. *The Clinical Neuropsychologist*, 24(2), 305-314.
- Greiffenstein, M. F., Fox, D., & LeesHaley, P. R. (2007). The MMPI-2 Fake Bad Scale in detection of noncredible brain injury claims. In Boone, K.B. (Ed.), *Assessment of feigned cognitive impairment: A neuropsychological perspective* (pp. 210-235). New York, NY: Guilford Press.
- Helmes, E. (2008). Response distortion in applications of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) in offender rehabilitation. *Journal of Offender Rehabilitation*, 47(1-2), 101-120.
- Heine, B. J. (1996). Exploring the utility of the MMPI-2 content scales with chronic pain patients. *Dissertation Abstracts International*, 57, 1442.
- Hendler, N. (1985). A comparison between the MMPI and the "Mensana Clinic Back Pain Test" for validating the complaint of chronic back pain in women. *Pain*, 23, 243-251.
- Henrichs, T. F. (1987). MMPI profiles of chronic pain patients: Some methodological considerations that concern clusters and descriptors. *Journal of Clinical Psychology*, 43, 650-660.

- Henrichs, T. F. (1981). Using the MMPI in Medical Consultations. In W. Schofield (Ed.), *Clinical Notes on the MMPI* (Vol. 6). Minneapolis: National Computer Systems.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Stanczak, S. R. (2008). Comparison of the Lees-Haley Fake Bad Scale, Henry-Heilbronner Index, and Restructured Clinical Scale 1 in identifying noncredible symptom reporting. *The Clinical Neuropsychologist*, 22(5), 919-929.
- Henry, G. K., Heilbronner, R. L., Mittenberg, W., Enders, C., & Domboski, K. (2009). Comparison of the MMPI-2 Restructured Demoralization Scale, Depression Scale, and Malingered Mood Disorder Scale in identifying non-credible symptom reporting in personal injury litigants and disability claimants. *The Clinical Neuropsychologist*, 23(1), 153-166.
- Herman, D. S., Weathers, F. W., Litz, B. T., & Keane, T. M. (1996). Psychometric properties of the embedded and stand-alone versions of the MMPI-2 Keane PTSD scale. *Assessment*, 3, 437-442.
- Hersch, P. D., & Alexander, R. W. (1990). MMPI profile patterns of emotional disability claimants. *Journal of Clinical Psychology*, 46(6), 795-799.
- Hickling, E. J., Sison, G. F., & Holtz, J. L. (1985). Role of psychologists in multidisciplinary pain clinics: A national survey. *Professional Psychology - Research & Practice*, 16, 868-880.
- Hiley-Young, B., Blake, D. D., Abueg, F. R., & Rozynko, V. (1995). Warzone violence in Vietnam: An examination of premilitary, military, and postmilitary factors in PTSD inpatients. *Journal of Traumatic Stress*, 8, 125-141.
- Hillary, B. E. & Schare, M. L. (1993). Sexually and physically abused adolescents: An empirical search for PTSD. *Journal of Clinical Psychology*, 49, 161-165.
- Hodges, W. F. (1968). Effects of ego threat and threat of pain on state anxiety. *Journal of Personality and Social Psychology*, 8, 364-372.
- Hoffman, R. G., Scott, J. G., Emick, M. A., Adams, R. L. (1999). The MMPI-2 and closed head injury: Effects of litigation and head injury severity. *Journal of Forensic Neuropsychology*, 1, 3-13.
- Holland, J. L. (1952). A study of measured personality variables and their behavioral correlates as seen in oil paintings 588, *DA*, 12, 380.
- Hollingsworth, D. K., & Watson, D. D. (1980). Chronic low back pain and the rehabilitation process: A multiple regression analysis. *Journal of Applied Rehabilitation Counseling*, 11, 90-93.

- Holmes, G. E., Williams, C. L., & Haines, J. (2001). Motor vehicle accident trauma exposure: Personality profiles associated with posttraumatic diagnoses. *Anxiety, Stress & Coping: An International Journal*, 14, 301-313.
- Holroyd, K. A., Holm, J. E., Keefe, F. J., & Turner, J. A. (1992). A multi-center evaluation of the McGill Pain Questionnaire: Results from more than 1700 chronic pain patients. *Pain*, 48, 301-311.
- Hovanitz, C.A., & Kozora, E. (1989). Life stress and clinically elevated MMPI scales: Gender differences in the moderating influence of coping. *Journal of Clinical Psychology*, 45, 766-777.
- Hovens, J. (1994). The assessment of posttraumatic stress disorder: With the Clinician Administered PTSD Scale: Dutch results. *Journal of Clinical Psychology*, 50, 325-340.
- Hubbard, K. M. (1983). Patient response to pain treatment: Personality variables associated with the use of transcutaneous electrical nerve stimulation. *Dissertation Abstracts International*, 43, 2708.
- Hudgens, A. J. (1979). Family-oriented treatment of chronic pain. *Journal of Marital & Family Therapy*, 5, 67-78.
- Hyer, L. A. Boudewyns, P. A., O'Leary, W. C., Harris, & W. R. (1987). Key determinants of the MMPI—PTSD subscale: Treatment considerations. *Journal of Clinical Psychology*, 43, 337-340.
- Hyer, L., Leach, P., Boudewyns, P. A., & Davis, H. (1991). Hidden PTSD in substance abuse inpatients among Vietnam veterans. *Journal of Substance Abuse Treatment*, 8, 213-219.
- Hyer, L. A. Walker, C. Swanson, G. & Speer, S. (1992). Validation of PTSD measures for older combat veterans. *Journal of Clinical Psychology*, 48, 579-588.
- Hyer, L. A. Woods, M. G., Boudewyns. P. A. (1991). A three tier evaluation of PTSD among Vietnam combat veterans. *Journal of Traumatic Stress*, 4, 165-194.
- Iezzi, A., Stokes, G. S., Adams, H. E., & Pilon, R. N. (1994). Somatothymia in chronic pain patients. *Psychosomatics*, 35, 460-468.
- Iverson, G. L., King, R. J, Scott, J. G., & Adams, R., L. (2001). Cognitive complaints in litigating patients with head injuries or chronic pain. *Journal of Forensic Neuropsychology*, 2, 19-30.
- Jarvis, P. E., & Hamlin, D. (1984). Avoiding pitfalls in compensation evaluations. *International Journal of Clinical Neuropsychology*, 6, 214-216.
- Johnson, B. J. (2008). Prediction of restraint use in a large forensic psychiatric facility: An examination of MMPI-2 scores. *Dissertation Abstracts International Section A*:

Humanities and Social Sciences, 69(5-A), 1857.

- Jordan, R. G., Nunley, T. V., & Cook, R. R. (1992). Symptom exaggeration in a PTSD inpatient population: Response set or claim for compensation. *Journal of Traumatic Stress, 5*, 633-642.
- Juhr, G. D. (1980). Development of an MMPI subscale predicting outcome of multidisciplinary treatment for chronic low back pain. *Dissertation Abstracts International, 41*, 1112-1113.
- Keane, T. M., Mallyo, P. F., & Fairbank, J. A. (1984). Empirical development of an MMPI subscale for the assessment of posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology, 52*, 888-891.
- Keane, T. M., Weathers, F. W., Kaloupek, D. G. (1992). *Psychological assessment of post-traumatic stress disorder PRQ 3*, 1-3.
- Keane, T. M., Wolfen J., Taylor, K. L. (1987). Post-traumatic stress disorder: Evidence for diagnostic validity and methods of psychological assessment. *Journal of Clinical Psychology, 43*, 32-43.
- Keller, L. S. (1989). Characteristics and correlates of the revised Minnesota Multiphasic Personality Inventory (MMPI-2) in a chronic pain patient population. *Dissertation Abstracts International, 50(3-B)*, 1111.
- Keller, L. S., & Butcher, J. N. (1991). *Assessment of Chronic Pain Patients with the MMPI-2*. Minneapolis, Minnesota: University of Minnesota Press.
- Kendall, P. C., Edinger, J., & Eberly C. (1978). Taylor's MMPI correction for spinal cord injury: Empirical endorsement. *Journal of Consulting and Clinical Psychology, 46*, 370-371.
- Kenderdine, S. K., Phillips, E. J., Scurfield, R. M. (1992). Comparison of the MMPI-PTSD subscale with PTSD and substance abuse patient populations, *Journal of Clinical Psychology, 48*, 136-139.
- Khailily, M. T. (2009). Neuropsychology and its relevance to clinical psychology in the non-specialist adult mental health setting. *Irish Journal of Psychological Medicine, 26(3)*, 131-133.
- Kidner, C.L., Gatchel, R.J., & Mayer, T.G. (2010). MMPI disability profile is associated with degree of opioid use in chronic work-related musculoskeletal disorders. *Clinical Journal of Pain, 26*, 9-15.
- Kiluk, D. J. (1986). Cross validation of a chronic pain scale of the MMPI across four patient populations. *Dissertation Abstracts International, 47*, 360.

- Kinder, B. N., & Curtiss, G. (1990). Alexithymia among empirically derived subgroups of chronic back pain patients. *Journal of Personality Assessment, 54*, 351-362.
- Kinder, B. N., Curtiss, G., & Kalichman, S. (1986). Anxiety and anger as predictors of MMPI elevations in chronic pain patients. *Journal of Personality Assessment, 50*, 651-661.
- King, S. A., & Snow, B. R. (1989). Factors for predicting premature termination from a multidisciplinary inpatient chronic pain program. *Pain, 39*, 281-287.
- Kirchner, T., Forns, M., & Mohino, S. (2007). Psychological adjustment in a forensic sample: Relationship with approach- and avoidance- coping typologies. *Journal of Forensic Sciences, 52*(3), 712-716.
- Kleinke, C. L. (1991). How chronic pain patients cope with depression: Relation to treatment outcome in a multidisciplinary pain clinic. *Rehabilitation Psychology, 36*, 207-218.
- Kleinke, C. L. (1994). MMPI scales as predictors of pain-coping strategies preferred by patients with chronic pain. *Rehabilitation Psychology, 39*, 123-128.
- Kleinke, C. L., & Spangler, A. S. (1988). Predicting treatment outcome of chronic back pain patients in a mulitdisciplinary pain clinic: methodological issues and treatment implications. *Pain, 33*, 41-48.
- Kirz, J. L., Drescher, K. D., Klein, J. L., Gusman, F. D., & Schwartz, M. F. (2001). MMPI-2 assessment of differential post-traumatic stress disorder patterns in combat veterans and sexual assault victims. *Journal of Interpersonal Violence, 16*, 619-639.
- Korgeski, G. P., Leon,G. R. (1983). Correlates of self-reported and objectively determined exposure to Agent Orange. *American Journal of Psychiatry, 140*, 1443–1449.
- Koretzky, M. B., & Peck, A. H. (1990). Validation and cross-validation of the PTSD subscale of the MMPI with civilian trauma victims. *Journal of Clinical Psychology, 46*, 296-300.
- Kostogianni, N. (2010). The Rorschach in planning treatment of alcohol addiction patients: Two clinical case studies with the Comprehensive System. *Rorschachiana, 31*(2), 192-222.
- Kramlinger, K. G., Swanson, D. W., & Maruta, T. (1983). Are patients with chronic pain depressed? *American Journal of Psychiatry, 140*, 747-749.
- Krusen, E. M. (1968). Cervical pain syndromes. *Archives of Physical Medicine, 49*, 376-382.
- Kubany, E. S., Gino, A., Denny, N. R., & Torigoe, R. Y. (1994). Relationship of cynical hostility and PTSD among Vietnam veterans. *Journal of Traumatic Stress, 7*, 21-31.
- Kubiszyn T. (1984, August). The MMPI, litigation, and back pain treatment: A curvilinear relationship Paper presented at the 92nd Annual Convention of the American Psychological Association Toronto, Ontario, Canada.

- Kuperman, S. K., Golden, C. J., & Blume, H. G. (1979). Predicting pain treatment results by personality variables in organic and functional patients. *Journal of Clinical Psychology*, 35, 832-837.
- Kvale, A., Ellertsen, B., & Skouen, J. S. (2001). Relationships between physical findings (GPE-78) and psychological profiles (MMPI-2) in patients with long lasting musculoskeletal pain. *Nordic Journal of Psychiatry*, 55, 177-184
- Lacroix, J. (1986). Predictors of biofeedback and relaxation success in multiple-pain patients: Negative findings. *International Journal of Rehabilitation Research*, 9, 376-378.
- Lakehomr, J. B. (1985). Chronic pain and the prediction of outcome: Towards validation of the MMPI as a predictor. *Dissertation Abstracts International*, 46, 1691.
- Lally, S. J. (2003). What tests are acceptable for use in forensic evaluations? A survey of experts. *Professional Psychology: Research and Practice*, 34(5), 491-498
- Lamb, D. G. (1992). Malingering closed head injury on the MMPI-2: Effect of information about symptoms and validity scales. *Dissertation Abstracts International*, 53, 1611.
- Lamb, D. G. & Berry, D. T. (1994). Effects of two types of information on malingering of closed head injury on the MMPI-2: An analog investigation. *Psychological Assessment*, 6, 8-13.
- Lambert, J. B. (2006). Analysis of the REY 15-item memory test as a measure of malingering in a litigating, mildly brain injured sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(9-B), 5094.
- Lange, R.T., Sullivan, K.A., & Scott, C. (2010). Comparison of MMPI-2 and PAI validity indicators to detect feigned depression and PTSD symptom reporting. *Psychiatric Research*, 176, 229-235.
- Lanyon, R. I., & Almer, E. R. (2002). Characteristics of compensable disability patients who choose to litigate. *Journal of American Academy of Psychiatry Law*, 30(3), 400-404.
- Larrabee, G. J. (1998). Somatic malingering on the MMPI and MMPI-2 in personal injury litigants. *Clinical Neuropsychologist*, 12, 179-188.
- Larrabee, G. J. (2000). Exaggerated MMPI-2 symptom report in probable malingerers. Paper presented at the 28th Annual Meeting of the International Neuropsychological Society, February 11, Denver, Colorado.
- Larrabee, G. (2003). Detection of Malingering Using Atypical Performance Patterns on Standard Neuropsychological Tests. *The Clinical Neuropsychologist*, 17, 410-425.
- Larrabee, G. (2003). Detection of symptom exaggeration with the MMPI-2 in litigants with maledgered neurocognitive dysfunction. *The Clinical Neuropsychologist*, 17, 54-68.

- Laurie, B. W. (1998). Use of the MMPI and the Beck depression inventory to determine correlation of anxiety and depression in workers' compensation claimants. *Dissertation Abstracts International*, 59, 2423.
- Leavitt, F. (1982). Comparison of three measures for detecting psychological disturbance in patients with low back pain. *Pain*, 13, 299-305.
- Leavitt, F. (2001). The development of the Somatoform Dissociation Index (SDI): A screening measure of dissociation using MMPI-2 items. *Journal of Trauma & Dissociation*, Vol. 2(3), 69-80.
- Leavitt, F., & Garron, D. C. (1979). The detection of psychological disturbance in patients with low back pain. *Journal of Psychosomatic Research*, 23, 149-154.
- Leavitt, F., & Garron, D. C. (1980). Validity of a Back Pain Classification Scale for detecting psychological disturbance as measured by the MMPI. *Journal of Clinical Psychology*, 36, 186-189.
- Leavitt, F., & Garron, D. C. (1982). Patterns of psychological disturbance and pain report in patients with low back pain. *Journal of Psychosomatic Research*, 26, 301-307.
- Leavitt, F., & Garron, D. C. (1982). Rorschach and pain characteristics of patients with low back pain and "conversion V" MMPI profiles. *Journal of Personality Assessment*, 46, 18-25.
- Leavitt, F. (1985). The value of the MMPI conversion "V" in the assessment of psychogenic pain. *Journal of Psychosomatic Research*, 29, 125-131.
- Lee, H. C., Cheung, F. M., Man, H. M., & Hsu, S. Y. (1992). Psychological characteristics of Chinese low back pain patients: An exploratory study. *Psychology & Health*, 6, 119-128.
- Lee-Riordan, D. L. (1990). Comparisons between the Millon Behavioral Health Inventory and the MMPI in the assessment of pain patients. *Dissertation Abstracts International*, 50, 4775.
- Lee-Riordan, D. & Sweet, J. J. (1994). Relationship between the Millon Behavioral Health Inventory and the Minnesota Multiphasic Personality Inventory (MMPI) in low-back pain patients. *Journal of Clinical Psychology in Medical Settings*, 1, 387-398.
- Lees-Haley, P. R. (1986). How to detect malingeringers in the workplace. *Personnel Journal*, 65(7), 106, 108, 110.
- Lees-Haley, P. R. (1986). Personal injury malingering. *For the Defense*, Feb, 28-31.
- Lees-Haley, P. R. (1991). MMPI-2 F and F-K scores of personal injury malingeringers in vocational neuropsychological and emotional distress claims. *American Journal of Forensic Psychology*, 9, 5-14.

- Lees-Haley, P. R. (1991). Ego strength denial on the MMPI-2 as a clue to simulation of personal injury in vocational neuropsychological and emotional distress evaluations. *Perceptual and Motor Skills*, 72, 815-819.
- Lees-Haley, P. R. (1992). Efficacy of MMPI-2 validity scale and MCMI-II modifier scales for detecting spurious PTSD claims: F, F-K, Fake Bad Scale, Ego Strength, Subtle-Obvious subscales, DIS, and DEB. *Journal of Clinical Psychology*, 48(5), 681-689.
- Lees-Haley, P. R. (1997). MMPI-2 base rates for 492 personal injury plaintiffs: Implications and challenges for forensic assessment. *Journal of Clinical Psychology*, 53, 745-755.
- Lees-Haley, P. R. (2001). Commentary on "Misconceptions and misuse of the MMPI-2 in assessing personal injury claimants." *NeuroRehabilitation*, 16(4), 301-302.
- Lees-Haley, P. R., English, L. T., & Glenn, W. J. (1991). A fake bad scale on the MMPI-2 for personal injury claimants. *Psychological Reports*, 68, 203-210.
- Lees-Haley, P.R., Smith, H.H., Williams C.W. & Dunn, J.T.(1995). Forensic neuropsychological test usage: An empirical survey. *Archives of Clinical Neuropsychology*, 11, 45-51.
- Lehmann, T. S. (1990). An empirical test of a clinically derived system for classifying chronic pain patients with the MMPI. *Dissertation Abstracts International*, 50, 3704.
- Leister, S. C. (1991). The assessment of depression in chronic back pain patients using the MMPI and the Beck Depression Inventory-Short Form. *Dissertation Abstracts International*, 51, 3608.
- Lemmon, K. W. (1983). Chronic lower back pain differentiation of the real and imagined. *Medical Hypnoanalysis*, 4, 17-30.
- Levenson, H., Glenn, N., & Hirschfeld, M. L. (1988). Duration of chronic pain and the Minnesota Multiphasic Personality Inventory: profiles of industrially injured workers. *Journal of Occupation Medicine*, 30(10), 809-812.
- Levenson, H., Hirschfeld, M. L., Hirschfeld, A. H. (1985). *Duration of chronic pain and the MMPI: Profiles of industrially-injured workers*. Paper presented at the 20th Symposium on Recent Developments in the Use of the MMPI. Honolulu, HI.
- Levine, J. B., Weisgerber, K., Nehme, A. M., & Mitra, N. (1994). Symptom laterality and psychological presentation in chronic pain syndrome. *Stress Medicine*, 10, 197-202.
- Lewis, J. L., Simcox, A. M., & Berry, D. T. R. (2002). Screening for feigned psychiatric symptoms in a forensic sample by using the MMPI-2 and the Structured Inventory of Malingered Symptomatology. *Psychological Assessment*, 14(2), 170-176
- Lewis, J. M., Kraus, W. L., Gossett, J. T., & Phillips, V. A. (1971). Chest pain, personality and coronary arteriography: a preliminary study. *Southern Medical Journal*, 64, 467-471.

- Li, S. M., Li, L. M., & Rodriguez de Souza, L. F. (1991). Use of MMPI on the assessment of the chronic pain syndrome patients. [Portuguese]. *Arquivos de Neuro-Psiquiatria*, 49, 426-429.
- Li, Y., Li, X., Wu, D. et al. (2010). Analysis of MMPI and related assessment scales in patients with compensation neurosis. *Journal of Psychiatry*, 2010-04.
- Lichtenberg, P. A., Skehan, M. W., & Swensen, C. H. (1984). The role of personality, recent life stress and arthritic severity in predicting pain. *Journal of Psychosomatic Research*, 28, 231-236.
- Light, K. C., Herbst, M. C., Bragdon, E. E., & Hinderliter, A. L. (1991). Depression and Type A behavior pattern in patients with coronary artery disease: Relationships to painful versus silent myocardial ischemia and b-endorphin responses during exercise. *Psychosomatic Medicine*, 53, 669-683.
- Litz, B. T., Penk, W., Walsh, S., Hyer, L., Blake, D. D., Marz, B., Keane, T. M., & Bitman, D. (1991). Similarities and differences between Minnesota Multiphasic Personality Inventory (MMPI) and MMPI-2 applications to the assessment of post-traumatic stress disorder. *Journal of Personality Assessment*, 57, 238-254.
- Locke, D. E. C., Kirlin, K. A., Thomas, M. L., Osborne, D., Hurst, D. F., Drazkowski, J. F., Sirven, J. I., & Noe, K. H. (2010). The Minnesota Multiphasic Personality Inventory-2-Restructured Form in the epilepsy monitoring unit. *Epilepsy & Behavior*, 17(2), 252-258.
- Loganovsky, K. N. (2003). Psychophysiological features of somatosensory disorders in victims of the Chernobyl accident. *Human Physiology*, 29(1), 122-130.
- Long, B., Rouse, S. V., Nelson, R. O., & Butcher, J. N. (2004). The MMPI-2 in sexual harassment and discrimination cases. *Journal of Clinical Psychology*, 60, 643-658.
- Long, C. J. (1981). The relationship between surgical outcome and MMPI profiles in chronic pain patients. *Journal of Clinical Psychology*, 37, 744-749.
- Lorentz, R. P. (1995). Back pain and mental distress workers' compensation claimants: A Rorschach and MMPI study of emotional regulation. *Dissertation Abstracts International*, 56, 1113.
- Louks, J. L., Freeman, C. W., & Calsyn, D. A. (1978). Personality organization as an aspect of back pain in a medical setting. *Journal of Personality Assessment*, 42, 152-158.
- Lousberg, R., Greonman, N., & Schmidt, A. (1996). Profile characteristics of the MPI-DLV clusters of pain patients. *Journal of Clinical Psychology*, 52, 161-167.
- Love, A. W. (1987). Depression in chronic low back pain patients: Diagnostic efficiency of three self-report questionnaires. *Journal of Clinical Psychology*, 43, 84-89.

- Love, A. W., & Peck, C. L. (1987). The MMPI and psychological factors in chronic low back pain: a review. *Pain*, 28, 1-12.
- Lucenko, B. A., Gold, S. N., Elhai, J. D., Russo, S. A., & Swingle, J. M. (2000). Relations between coercive strategies and MMPI-2 scale elevations among women survivors of childhood sexual abuse. *Journal of Traumatic Stress*, 13, 169-177.
- Luk, S. (2011). *MMPI-II-RF profile of a worker's compensation claimant*. (Doctoral Dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3477776).
- Lumley, M. A., Asselin, L. A., & Norman, S. (1997). Alexithymia in chronic pain patients. *Comprehensive Psychiatry*, 38, 160-165.
- Lupton, D., & Johnson, D. L. (1973). Myofascial pain-dysfunction syndrome: attitudes and other personality characteristics related to tolerance for pain 896. *Journal of Prosthetic Dentistry*, 29, 323-329.
- Lyons, J. A., & Keane, T. M. (1992). Keane PTSD Scale: MMPI and MMPI--2 update. *Journal of Traumatic Stress*, 5, 111-117.
- Lyons, J. A., & Wheeler-Cox, T. (1999). MMPI, MMPI-2 and PTSD: overview of scores, scales, and profiles. *Journal of Traumatic Stress*, 12, 175-183.
- MacNiven, E., & Finlayson, M. (1993). The interplay between emotional and cognitive recovery after closed head injury. *Brain Injury*, 7, 241-246.
- Magnani, B., Johnson, L. R., & Ferrante, F. (1989). Modifiers of patient-controlled analgesia efficacy: II. Chronic pain. *Pain*, 39, 23-29.
- Main, C. J., & Waddell, G. (1987). Personality assessment in the management of low back pain. *Clinical Rehabilitation*, 1, 139-142.
- Malec, J. F. (1983). Relationship of the MMPI-168 to outcome of a pain management program at long-term follow-up. *Rehabilitation Psychology*, 28, 115-119.
- Marcos, T. (1985). Structural validation of the NF/F scale to evaluate the psychological factors involved in pain. [Spanish]. *Revista del Departamento de Psiquiatria de la Facultad de Medicina de Barcelona*, 12, 239-248.
- Maruta, T. S. D. W. S. W. M. (1976). Low back pain patients in a psychiatric population. *Mayo Clinic Proceedings*, 51, 57-61.
- McArthur, D. L., Cohen, M. J., Gottlieb, H. J., & Naliboff, B. D. (1987). Treating chronic low back pain: I. Admissions to initial follow-up. *Pain*, 29, 1-22.

- McCaffrey, R., Bellamy-Campbell, R. (1989). Psychometric detection of fabricated symptoms of combat-related PTSD: A systematic replication. *Journal of Clinical Psychology*, 45, 76-79.
- McCreary, C. P. (1985). Empirically derived MMPI profile clusters and characteristics of low back pain patients. *Journal of Consulting & Clinical Psychology*, 53, 558-560.
- McCreary, C. P., & Colman, A. (1984). Medication usage, emotional disturbance, and pain behavior in chronic low back pain patients. *Journal of Clinical Psychology*, 40, 15-19.
- McCreary, C. P., Turner, J., & Dawson, E. (1979). The MMPI as a predictor of response to conservative treatment for low back pain. *Journal of Clinical Psychology*, 35, 278-284.
- McCreary, C. P., Turner, J., & Dawson, E. (1980). Emotional disturbance and chronic low back pain. *Journal of Clinical Psychology*, 36, 709-715.
- McCreary, C. P. & Turner, J. (1983). Psychological disorder and pain description. *Health Psychology*, 2, 1-10.
- McCreary, C. P., & Turner, J. A. (1984). Locus of control, repression-sensitization, and psychological disorder in chronic pain patients. *Journal of Clinical Psychology*, 40, 897-901.
- McDevitt-Murphy, M.E., Weathers, F.W., Flood, A.M., Eakin, D.E., & Benson, T.A. (2007). The utility of the PAI and the MMPI-2 for discriminating PTSD, depression, and social phobia in trauma-exposed college students. *Assessment*, 14, 181-195.
- McFall, M. E., Smith, D. E., Roszell, D. K., & Tarver, D. J. (1990). Convergent validity of measures of PTSD in Vietnam combat veterans. *American Journal of Psychiatry*, 147, 645-648.
- McGill, J. C. (1980). Relationship of MMPI profile clusters to pain behaviors. *Dissertation Abstracts International*, 40, 5820.
- McGill, J. C. (1983). The relationship of Minnesota Multiphasic Personality Inventory (MMPI) profile clusters to pain behaviors. *Journal of Behavioral Medicine*, 6, 77-92.
- McGrath, R. E., Sweeney, M., O'Malley, W. B., Carlton, T. K. (1998). Identifying psychological contributions to chronic pain complaints with the MMPI-2: The role of the K Scale. *Journal of Personality Assessment*, 70(3), 448-459.
- Meikle, J. (1987). The Minnesota Multiphasic Personality Inventory (MMPI) and back pain. *Clinical Rehabilitation*, 1, 143-145.
- Meldolesi, G. (2000). Personality and psychopathology in patients with temporomandibular joint pain-dysfunction syndrome: A controlled investigation. *Psychotherapy & Psychosomatics*, 69, Switzerland-328.

- Melzack, R., Katz, J., & Jeans, M. E. (1985). The role of compensation in chronic pain: Analysis using a new method of scoring the McGill Pain Questionnaire. *Pain*, 23, 101-112.
- Mendelson, G. (1982). Alexithymia and chronic pain: Prevalence, correlates and treatment results. *Psychotherapy & Psychosomatics*, 37, 154-164.
- Mesholam, R. I. (1999). The West Haven-Yale Multidimensional Pain Inventory as a predictor of outcome in chronic pain patients who undergo spinal cord stimulator or infusion pump implantations. *Dissertation Abstracts International*, 60, 2974.
- Michalek, J. E., Barrett, D. H., Morris, R. D., & Jackson, W. G. Jr. (2003). Serum dioxin and psychological functioning in U.S. Air Force veterans of the Vietnam war. *Military Medicine*, 168(2), 153-159.
- Middleton, T. P. (1987). A study of the effects of physical sequelae of head injury on MMPI scale elevations. *Dissertation Abstracts International*, 48, 344.
- Milhous, R. L., Haugh, L. D., Frymoyer, J. W., Ruess, J. M., Gallagher, R. M., Wilder, D. G., & Callas, P. W. (1989). Determinants of vocational disability in patients with low back pain. *Archives of Physical Medicine and Rehabilitation*, 70, 589-593.
- Millard, R. W. (1995). Assessment of pain and pain behavior. In L.A.Cushman (Ed.), *Psychological assessment in medical rehabilitation*, 237-273. Washington, DC, USA: American Psychological Association.
- Miller, H.R., Goldberg, J.O., & Streiner, D.L. (1995). What's in a name? The MMPI-2 PTSD scales. *Journal of Clinical Psychology*, 51(5), 626-631.
- Miller, T. W. (1990). *Chronic pain, Vols. 1 & 2*. (xxxv ed.) Madison, CT, USA: International Universities Press, Inc.
- Miller, T. W., & Kraus, R. F. (1990). An overview of chronic pain. *Hospital & Community Psychiatry*, 41, 433-440.
- Minniti, N. L. (2009). Posttraumatic stress disorder and traumatic brain injury: An examination of symptom clusters on the mmpi-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(10-B), 6425.
- Mitchell, C. A. (2008). Relationship between the performance on the MMPI-2 Fake Bad Scale and the word memory subtests in the detection of malingering during forensic brain trauma evaluations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(10-B), 6975.
- Mittenberg, W., Tremont, G., & Rayls, K. R. (1996). Impact of cognitive function on MMPI-2 validity in neurological impaired patients. *Assessment*, 3, 157-163.

- Mittenburg, W., Patton, C., Canycock, E. M. & Condit, D. C. (2002). Base rates of malingering and symptom exaggeration. *Journal of Clinical and Experimental Neuropsychology*, 24, 109-114.
- Monsen, K. M. J. T. (2000). Chronic pain and psychodynamic body therapy: A controlled outcome study. *Psychotherapy*, 37.
- Monsen, K., & Havik, O. E. (2001). Psychological functioning and bodily conditions in patients with pain disorder associated with psychological factors. *British Journal of Medical Psychology*, 74, 183-195
- Moody, D. R., & Kish, G. B. (1989). Clinical meaning of the Keane PTSD Scale. *Journal of Clinical Psychology*, 45, 542-546.
- Moore, J. E., Armentrout, D. P., Parker, J. C., & Kivlahan, D. R. (1986). Empirically derived pain-patient MMPI subgroups: Prediction of treatment outcome. *Journal of Behavioral Medicine*, 9, 51-63.
- Moore, J. E., & Chaney, E. F. (1985). Outpatient group treatment of chronic pain: Effects of spouse involvement. *Journal of Consulting & Clinical Psychology*, 53, 326-334.
- Moore, J. E., McFall, M. E., Kivlahan, D. R., & Capestan, F. (1988). Risk of misinterpretation of MMPI Schizophrenia scale elevations in chronic pain patients. *Pain*, 32, 207-213.
- Morford, M. (2006). Evaluation of Children and Their Families in Legal Contexts: Avoiding the Perils and Looking for Standards. *PsycCRITIQUES*, 51(32).
- Morrell, J. S., & Rubin, L. J. (2001). The Minnesota Multiphasic Personality Inventory – 2, posttraumatic stress disorder, and women domestic violence survivors. *Professional Psychology: Research and Practice*, 32, 151-156.
- Moyer, D. M., Burkhardt, B., & Gordon, R. M. (2002). Faking PTSD from a motor vehicle accident on the MMPI-2. *American Journal of Forensic Psychology*, Vol. 20(2), 81-89.
- Mullins, W. H. (1988). Chronic pain: A study of treatment outcome as it relates to coping behaviors, assertiveness, spiritual well-being, and MMPI scores. *Dissertation Abstracts International*, 48, 3689.
- Munley, P. H., Bains, D.S., & Bloem, W. D. (1993). F Scale elevation and PTSD MMPI profiles. *Psychological Reports*, 73(2), 363-370.
- Munley, P. H., Bains, D. S., Bloem, W. D., & Busby, R. M. (1995). Post-traumatic stress disorder and the MMPI-2. *Journal of Traumatic Stress*, 8, 171-178.
- Munley, P. H., Bains, D. S. F. J. S., Frazee, J., & Schwartz, L. T. (1994). Inpatient PTSD treatment: A study of pretreatment measures, treatment dropout, and therapist ratings of response to treatment. *Journal of Traumatic Stress*, 7, 319-325.

- Murphy, J. K., Sperr, E. V., & Sperr, S. J. (1986). Chronic pain: An investigation of assessment instruments. *Journal of Psychosomatic Research*, 30, 289-296.
- Murray, J. B. (1982). Psychological aspects of low back pain: Summary. *Psychological Reports*, 50, 343-351.
- Myer, G. J., Finn, S. E., Eyde, L. D., Kay, G. G., Moreland, K. L., Dies, R. R., Eisman, E. J., Kubiszyn, T. W., & Reed, G. M. (2001). Psychological Testing and Psychological Assessment A Review of Evidence and Issues. *American Psychologist*, 56(2), 128-165.
- Naliboff, B. D. (1985). Comprehensive assessment of chronic low back pain patients and controls: Physical abilities, level of activity, psychological adjustment and pain perception. *Pain*, 23, 121-134.
- Naliboff, B. D., Cohen, M. J., & Yellen, A. N. (1982). Does the MMPI differentiate chronic illness from chronic pain? *Pain*, 13, 333-341.
- Naliboff, B. D., McCreary, C. P., McArthur, D. L., & Cohen, M. J. (1988). MMPI changes following behavioral treatment of chronic low back pain. *Pain*, 35, 271-277.
- Neal, L. A., Hill, N., Hughes, J., & Middleton, A. (1995). Convergent validity of measures of PTSD in an elderly population of former prisoners of war. *International Journal of Geriatric Psychiatry*, 10, 617-622.
- Neal, L.A., Busutil, W., Rollins, J., Herepath, R., Strike, P., & Turnbull, G. (1994). Convergent validity of measures of post-traumatic stress disorder in a mixed military and civilian population. *Journal of Traumatic Stress*, 7 (3), 447-455.
- Neighbours, J. S. (1991). The use of the MMPI and a cross-validation of the Keane PTSD subscale in the differential diagnosis of posttraumatic stress disorder in workers' compensation patients. *Dissertation Abstracts International*, 51, 6147.
- Nelson, D. V., Turner, J. A., & McCreary, C. P. (1991). MMPI short forms as predictors of response to conservative treatment for low back pain. *Journal of Clinical Psychology*, 47, 533-537.
- Nelson, D. V., Novy, D. M., Averill, P. M., & Berry, L. A. (1996). Ethnic comparability of the MMPI in pain patients. *Journal of Clinical Psychology*, 52, 485-497.
- Nelson, N. W., & Hoelzle, J. B. (2009). An assessment handbook with "personality". *Journal of Clinical and Experimental Neuropsychology*, 31(5), 637-640.
- Nelson, N. W., Sweet, J. J., & Demakis, G. J. (2006). Meta-analysis of the MMPI-2 Fake Bad Scale: Utility in forensic practice. *The Clinical Neuropsychologist*, 20(1), 39-58.
- Nelson, N. W., Sweet, J. J., & Heilbronner, R. L. (2007). Examination of the new MMPI-2 Response Bias Scale (Gervais): Relationship with MMPI-2 validity scales. *Journal of Clinical and Experimental Neuropsychology*, 29(1), 67-72.

- Nelson, N. W., Hoelzle, J. B., Sweet, J. J., Arbisi, P. A., & Demakis, G. J. (2010). Updated meta-analysis of the MMPI-2 Symptom Validity Scale (FBS): Verified utility in forensic practice. *The Clinical Neuropsychologist*, 24(4), 701-724.
- Nelson, N. W., Parsons, T. D., Grote, C. L., Smith, C. A., & Sisung, J. R. I. I. (2006). "The MMPI-2 Fake Bad Scale: Concordance and Specificity of True and Estimated Scores": Erratum. *Journal of Clinical and Experimental Neuropsychology*, 28(5), 841.
- Nelson, N. W., Sweet, J. J., Berry, D. T. R., Bryant, F. B., & Granacher, R. P. (2007). Response validity in forensic neuropsychology: Exploratory factor analytic evidence of distinct cognitive and psychological constructs. *Journal of the International Neuropsychological Society*, 13(3), 440-449.
- Nesbit, M. (1979). The treatment of chronic pain patients via a structured group counseling approach. *Dissertation Abstracts International*, 39, 5331.
- Newnan, O. S., Heaton, R. S. & Lehman, R. A. W. (1978). Neuropsychological and MMPI correlates of patient's future employment characteristics. *Perceptual and Motor Skills*, 46 635–642.
- Nickel, J. A. (1994). Multivariate clustering of chronic pain patients: A replication using the MMPI-2. *Dissertation Abstracts International*, 54, 2470.
- Nieberding, R. J. (1995). MMPI-2 correlates of chronic pain: An examination of the role of anger. *Dissertation Abstracts International*, 55, 4128.
- Novack, T. A., Daniel, M. S., & Long, C. J. (1984). Factors related to emotional adjustment following head injury. *International Journal of Clinical Neuropsychology*, 6, 139-142.
- Novy, D. M., Nelson, D. V., Berry, L. A., & Averill, P. M. (1995). What does the Beck Depression Inventory measure in chronic pain?: A reappraisal. *Pain*, 61, 261-270.
- Nyagu, A. (1988). Clinico-psychological mechanisms of compensations of brain dysfunctions in patients with traumatic lesions of polar-basal regions of frontal lobes. [Russian]. *Zhurnal Nevropatologii i Psichiatrii Imeni S - S - Korsakova*, 88, 40-45.
- O'Hara, C. (1988). Emotional adjustment following minor head injury. *Cognitive Rehabilitation*, 6, 26-33.
- Oleske, D. M., Andersson, G. B. J., Lavender, S. A., & Hahn, J. J. (2000). Association between recover outcomes for work-related low back disorders and personal, family, and work factors. *Spine*, 25(10), 1259-1265.
- O'Maille, P. S. (2001). The impact of compensation on symptom distortion in chronic pain patients: An examination of MMPI-2 symptom distortion measures. *Dissertation Abstracts International: Section B: the Sciences & Engineering*. Vol 62(5-B), 2496, US: Univ Microfilms International.

- Onorato, V. A. & Tsushima, W. T. (1983). EMG, MMPI, and treatment outcome in the biofeedback therapy of tension headache and posttraumatic pain. *American Journal of Clinical Biofeedback*, 6, 71-81.
- Oostdam, E. (1981). Predictive value of some psychological tests on the outcome of surgical intervention in low back pain patients. *Journal of Psychosomatic Research*, 25, 227-235.
- Oostdam, E. (1983). Predictability of the result of surgical intervention in patients with low back pain. *Journal of Psychosomatic Research*, 27, 273-281.
- Oostdam, E. (1987). Description of pain and the relationship with psychological factors in patients with low back pain. *Pain*, 28, 357-364.
- Ornduff, S. R., & Brennan, A. (1988). The Minnesota Multiphasic Personality Inventory (MMPI) Hysteria (Hy) Scale: Scoring bodily concern and psychological denial subscales in chronic back pain patients. *Journal of Behavioral Medicine*, 11, 131-146.
- Owen, R. C. (1989). MMPI assessment of surgical vs nonsurgical chronic pain patients. *Dissertation Abstracts International*, 49, 2869.
- Palav, A., Ortega, A., & McCaffrey, R. J. (2001). Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients. *Journal of Head Trauma Rehabilitation*, Vol. 16(3), 275-283.
- Pancheri, L., Pancheri, P., di Cesare, G., & Marini, S. (1987). Psychoneuroendocrine correlates of the placebo effect in chronic pain. [Italian]. *Rivista di Psichiatria*, 22, 110-129.
- Papciak, A. S., Feuerstein, M., Belar, C. D., & Pistone, L. (1986). Alexithymia and pain in an outpatient behavioral medicine clinic. *International Journal of Psychiatry in Medicine*, 16, 347-357.
- Papciak, A. S., Feuerstein, M., Belar, C. D., & Pistone, L. (1987). Alexithymia and pain in an outpatient behavioral medicine clinic. *International Journal of Psychiatry in Medicine*, 16, 347-357.
- Patrick, J. (1988). Personality characteristics of work-ready workers' compensation clients. *Journal of Clinical Psychology*, 44(6), 1009-1012.
- Parker, J. C., Doerfler, L. A., Tatten, H. A., & Hewett, J. E. (1983). Psychological factors that influence self-reported pain. *Journal of Clinical Psychology*, 39, 22-25.
- Peniston, E. G., & Hughes, R. B. (1986). Use of the MMPI and PAT as evaluative measures of chronic pain. *Clinical Biofeedback & Health: An International Journal*, 9, 15-21.
- Peniston, E. G., Hughes, R. B., & Kulkosky, P. J. (1986). EMG biofeedback-assisted relaxation training in the treatment of reactive depression in chronic pain patients. *Psychological Record*, 36, 471-481.

- Penrod, N.C. (2009). Assessing the psychometric properties of a supplementary PK scale embedded in the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A) in detecting post-traumatic stress disorder (PTSD). *ETD Collection for Pace University*. Paper AAI3377718.
- Minniti, N. L. (2009). Posttraumatic stress disorder and traumatic brain injury: An examination of symptom clusters on the mmpi-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 69(10-B), 6425.
- Penk, W. E., Rierdan, J., Losardo, M., & Robinowitz, R. (2006). The MMPI-2 and Assessment of Posttraumatic Stress Disorder (PTSD). In Butcher, J.N. (Ed.), *MMPI-2: A practitioner's guide*, 121-141. Washington, DC: American Psychological Association.
- Penk, W. E., Rierdan, J., Losardo. M., & Robinowitz, R. (in press). Using the MMPI-2 for Assessing Post-traumatic Stress Disorder (PTSD). Chapter in J. N. Butcher (Ed.) *MMPI-2: A practitioner's guide*. Washington, D.C.; APA Books.
- Penk, W. E., Robinowitz, R., Black, J., & Dolan, M. P. (1989). Co-morbidity: Lessons learned about post-traumatic stress disorder (PTSD) from developing PTSD scales for the MMPI. *Journal of Clinical Psychology*, 45, 709-717.
- Penk, W. E., Robinowitz, R., Black, J., & Dolan, M. P. (1989). Ethnicity: Post-traumatic stress disorder (PTSD) differences among Black, White, and Hispanic veterans who differ in degrees of exposure to combat in Vietnam. *Journal of Clinical Psychology*, 45, 729-735.
- Penk, W. E., Robinowitz, R., Dorsett, D., Black, J., Dolan, M. P., Bell, W. (1989). Co-morbidity: Lessons learned about post-traumatic stress disorder (PTSD) from developing PTSD scales for the MMPI. *Journal of Clinical Psychology*, 45, 709-717.
- Perconte, S. T., & Goreczny, A. J (1990). Failure to detect fabricated posttraumatic stress disorder with the use of the MMPI in a clinical population. *American Journal of Psychiatry*, Vol. 147(8), 1057-1060.
- PerezPareja, J., Sese, A., GonzalezOrdi, H., & Palmer, A. (2010). Fibromyalgia and chronic pain: Are there discriminating patterns by using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2)? *International Journal of Clinical and Health Psychology*, 10(1), 41-56.
- Perl, J. L., & Kahn, M. W. (1983). The effects of compensation on psychiatric disability. *Social Science & Medicine*, 17, 439-443.
- Perrin, S., Van Hasselt, V. B., Basilio, I., & Hersen, M. (1996). Assessing the effects of violence on women in battering relationships with the Keanne MMPI-PTSD Scale. *Journal of Traumatic Stress*, 9, 805-816.
- Perrin, S., Van Hasselt, V. B., & Hersen, M. (1997). Validation of the Keane MMPI-PTSD Scale against DSM-III-R criteria in a sample of battered women. *Violence & Victims*, 12, 99-104.

- Peters, J. F., Benjamin, B., Helvey, W. M., & Albright, G. A. (1963). A study of sensory deprivation, pain, and personality relationships for space travel. *Aerospace Medicine*, 34, 830-837.
- Petrovich, D. V. (1958). The Pain Apperception Test: Psychological correlates of pain perception. *Journal of Clinical Psychology*, 14, 367-374.
- Pichot, P. (1972). MMPI evaluation of personality characteristics of subjects with chronic functional low back pain. *Revue de Psychologie Appliquée*, 22, 145-172.
- Pichot, P., Perse, J., Lebeauzx, M.O., Dureau, J. L., Perez, C., Ryckewaert, A. (1972). MMPI evaluation of personality characteristics of subjects with chronic functional low back pain 567. *Revue de Psychologie Appliquée*, 22, 145-172.
- Pilling, L. F., Brannick, T. L., & Swenson, W. M. (1967). Psychologic characteristics of psychiatric patients having pain as a presenting symptom. *CMAJ*, 97, 387-394.
- Piotrowski, C., (1998). Assessment of pain: A survey of practicing clinicians. *Perceptual and Motor Skills*, 86, 181-192.
- Poitrenaud, J. P. S. (1967). The role of pain in the psychology of the ulcer patient [NonEnglish]. *Encephale*, 56, 510-529.
- Pollack, D. R. (1992, May). *Assessment of brain trauma personal injury litigants*. Paper presented at the 27th Annual Symposium on Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia. Minneapolis, MN.
- Pollack, D. R., & Griney, T. F. (1984). A comparison of MMPI profiles for state and private disability insurance applicants. *Journal of Personality Assessment*, 48(2), 121-125.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). Assessing Malingering and Other Aspects of Credibility. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 129-160. Washington, DC: American Psychological Association.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). A Brief Overview. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 3-5. Washington, DC: American Psychological Association.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). The Courts' Recognition, Use, and Restriction of MMPI-Based Testimony. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 55-66. Washington, DC: American Psychological Association.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). The Expert Witness Prepares and Presents. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 67-107. Washington, DC:

American Psychological Association.

- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). Forensic Assessment Settings. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 37-53. Washington, DC: American Psychological Association.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd.Ed). Washington, DC: American Psychological Association.
- Pope, K. S., Butcher, J. N., & Seelen, J. (2006). The MMPI, MMPI-2, and MMPI-A in Court Testimony. In Pope, K.S., Butcher, J.N. & Seelen, J. (Eds.), *The MMPI, MMPI-2, & MMPI-A in court: A practical guide for expert witnesses and attorneys* (3rd Ed.), 7-36. Washington, DC: American Psychological Association.
- Porzelius, J. (1995). Memory for pain after nerve-block injections. *Clinical Journal of Pain*, 11, 112-120.
- Posthuma, A. B., & Harper, J. F. (1998). Comparison of MMPI-2 responses of child custody and personal injury litigants. *Professional Psychology: Research and Practice*, 29, 437-443.
- Postone, N. (1986). Alexithymia in chronic pain patients. *General Hospital Psychiatry*, 8, 163-167.
- Prokop, C. K., Bradley, L. A., Margolis, R., & Gentry, W. (1980). Multivariate analysis of the MMPI profiles of patients with multiple pain complaints. *Journal of Personality Assessment*, 44, 246-252.
- Prokop, C. K. (1986). Hysteria scale elevations in low back pain patients: A risk factor for misdiagnosis? *Journal of Consulting & Clinical Psychology*, 54, 558-562.
- Putnam, S. H., Kurtz, J. E., Millis, S. R., Adams, K. M. (1995). Prevalence and correlates of MMPI-2 codetypes in patients with traumatic brain injury. Paper given at the 30th Annual Symposium on Research Developments in the Use of the MMPI-2. St. Petersburg, Florida, March.
- Quick, D. M. (1997). Empirically derived MMPI-2 profile clusters: Prediction of pain rehabilitation program outcome. *Dissertation Abstracts International*, 57, 5929.
- Rayls, K. R. Mittenburg, W., Burns, W. J., & Therous, S. (2000). Prospective study of the MMPI-2 correction factor after mild head injury. *Clinical Neuropsychologist*, 14.
- Reich, J., Steward, M. S., Tupin, J. P., & Rosenblatt, R. M. (1985). Prediction of response to treatment in chronic pain patients. *Journal of Clinical Psychiatry*, 46, 425-427.
- Reinhard, M.J., Wolf, G., & Cozolino, L. (2010). Using the MMPI to assess reported cognitive

- disturbances and somatization as a core feature of complex PTSD. *Journal of Trauma and Dissociation*, 11, 57-72.
- Repko, G. R., & Cooper, R. (1983). A study of the average workers' compensation case. *Journal of Clinical Psychology*, 39, 287-295.
- Repko, G. R., & Cooper, R. (1985). The diagnosis of personality disorder: A comparison of MMPI profile, Millon inventory and clinical judgment in a workers' compensation population. *Journal of Clinical Psychology*, 41(6), 867-881.
- Reynolds C. (1998). *Detection of malingering in head injury litigation*. New York: Plenum.
- Riley, J. L. (1998). Validity of MMPI-2 profiles in chronic back pain patients: Differences in path models of coping and somatization. *Clinical Journal of Pain*, 14, 324-335.
- Riley, J. L., Robinson, M. E., Geisser, M. E., Wittmer, V. T., & Smith, A. G. (1995). Relationship between MMPI-2 Cluster profiles and surgical outcome in low-back pain patients. *Journal of Spinal Disorders*, 8(3), 213-219
- Roberts, K. A. (2000). Trauma recovery in military veterans with chronic PTSD: An emphasis on the problem of guilt. A treatment outcomes study. *Dissertation Abstracts International*, 60.
- Roberts, L. C. (1997). Post-traumatic stress disorder in adolescent sex offenders as measured by elevations on the MMPI-2 ptsd PK subscale. *Dissertation Abstracts International*, 58, 1544.
- Robinson, M. E., O'Connor, P. D., MacMillan, M., & Shirley, F. R. (1992). Physical and psychosocial correlates of testes isometric torque variability in patients with chronic low back pain. *Journal of Occupational Rehabilitation*, 2, 11-18.
- Robinson, R. C. (2000). Psychometric testing: The early years and the MMPI. In R.J.Gatchel (Ed.), *Personality characteristics of patients with pain* (pp. 37-58). Washington, DC, US: American Psychological Association.
- Robinson, R. C. (1999). Occupational and health outcomes of polymorphous pain individuals: Briquet's syndrome revisited. *Dissertation Abstracts International*, 59, 4528.
- Rogers, R. (2008). *Clinical assessment of malingering and deception* (3rd ed.). New York, NY: Guilford Press. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(10-B), 6980.
- Romano, J. M., Turner, J. A., & Moore, J. E. (1989). Psychological evaluation. In C.D.Tollison (Ed.), *Handbook of chronic pain management* (pp. 38-51). Baltimore, MD, USA: Williams & Wilkins Co.
- Ronnei, M. A. (1995). An evaluation of the PTSD subscales of the MMPI-2 with female civilian trauma victims. *Dissertation Abstracts International*, 56, 2379.

- Rosen, J. C., Grubman, J. A., Bevins, T., & Frymoyer, J. W. (1987). Musculoskeletal status and disability of MMPI profile subgroups among patients with low back pain. *Health Psychology, 6*, 581-598.
- Rosenblum, A., Joseph, H., Fong, C., Kipnis, S., Cleland, C., & Portenoy, R. K. (2003). Prevalence and characteristics of chronic pain among chemically dependent patients in methadone maintenance and residential treatment facilities. *Journal of American Medical Association, 289*(18), 2370-2378.
- Rosenthal, R. H., Ling, F. W., Rosenthal, T. L., & McNeely, S. (1984). Chronic pelvic pain: Psychological features and laparoscopic findings. *Psychosomatics, 25*, 833-841.
- Ross, S. R., Millis, S. R., Kruckowski, R. A., Putnam, S. H., & Adams, K. M. (2004). Detecting incomplete effort on the MMPI-2: An examination of the Fake-Bad Scale in mild head injury. *Journal of Clinical & Experimental Neuropsychology, 26*(1), 115-124.
- Ross, S. R., Putnam, S. H., Gass, C. S., Bailey D. E., & Adams, K. M. (2003). MMPI-2 indices of psychological disturbance and attention and memory test performance in head injury. *Archives of Clinical Neuropsychology, 18*, 905-916.
- Penk, W. E., Rierdan, J., Losardo, M., & Robinowitz, R. (2006). The MMPI-2 and Assessment of Posttraumatic Stress Disorder (PTSD). In Butcher, J.N. (Ed.), *MMPI-2: A practitioner's guide*, 121-141. Washington, DC: American Psychological Association.
- Reinhard, M. J., Satz, P., Scaglione, C. A., D'Elia, L. F., Rassovsky, Y., Arita, A. A., Hinkin, C. H., Thrasher, D., & Ordog, G. (2007). Neuropsychological exploration of alleged mold neurotoxicity. *Archives of Clinical Neuropsychology, 22*(4), 533-543.
- Rostami, R., Nosratabadi, M., & Mohammadi, F. (2007). Primary evaluation of the diagnostic accuracy of the AAS, MAC-R, and APS. *Psychological Research, 10*(1-2), 11-28.
- Rothke, S. E., Friedman, A. F., Jaffe, A. M., Greene, R. L., Wetter, M. W., Cole, P., & Baker, K. (2000). Normative data for the F(p) scale of the MMPI-2: Implications for clinical and forensic assessment of malingering. *Psychological Assessment, 12*(3), 335-340.
- Ruttan, L. A. & Henrichs, R. W. (2003). Depression and neurocognitive functioning in mild traumatic brain injury patients referred for assessment. *Journal of Clinical and Experimental Neuropsychology, 25*, 407-419.
- Samuel, S. E., DeGirolamo, J., Michals, T. J., & O'Brien, J. (1994). Preliminary findings on MMPI "Cannot Say" responses with personal injury litigants. *American Journal of Forensic Psychology, 12*, 5-18.
- Sapp, M., Farrell, W. C., Johnson, J. H., & Ioannidis, G. (1997). Utilizing the PK scale of the MMPI-2 to detect posttraumatic stress disorder in college students. *Journal of Clinical Psychology, 53*(8), 841-846.

- Scarpitti, W. (1973). The repression-sensitization dimension in relation to impending painful stimulation. *Journal of Consulting and Clinical Psychology*, 40, 377-382.
- Scheibe, S., Bagby, R. M., Miller, L. S., & Dorian, B. J. (2001). Assessing posttraumatic disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*, 13, 369-374.
- Schein, E., Hill, W., Williams, H., & Lubin, A. (1957). Distinguishing characteristics of collaborators and resisters among American prisoners of war. *Journal of Abnormal and Social Psychology*, 55, 197-201.
- Shercliff, R. J., & Colotla, V. (2009). MMPI-2 profiles in civilian PTSD: An examination of differential responses between victims of crime and industrial accidents. *Journal of Interpersonal Violence*, 24(2), 349-360.
- Schiff, B. B. & Gagliese, L. (1994). The consequences of experimentally induced and chronic unilateral pain: Reflections of hemispheric lateralization of emotion. *Cortex*, 30, 255-267.
- Schmidt, J. P. & Wallace, R. W. (1982). Factorial analysis of the MMPI profiles of low back pain patients. *Journal of Personality Assessment*, 46, 366-369.
- Schnurr, P. P., Friedman, M. J., & Rosenberg, S. D. (1993). Preliminary MMPI scores as predictors of combat-related PTSD symptoms. *American Journal of Psychiatry*, 150, 479-483.
- Schnurr, P. P., Friedman, M., & Rosenberg, S. D. (1994). "Predicting post-combat PTSD by using premilitary MMPI scores": Reply. *American Journal of Psychiatry*, 151, 156-157.
- Schulman, J. H. (1960). The relationship of manifest anxiety to the pain reaction in low stress and high stress situations. *DA*, 21, 963.
- Schwartz, D. P., & DeGood, D. E. (1984). Global appropriateness of pain drawings: Blind ratings predict patterns of psychological distress and litigation status. *Pain*, 19, 383-388.
- Scotti, J. R., Sturges, L. V., & Lyons, J. A. (1996). The Keane PTSD Scale extracted from the MMPI: Sensitivity and specificity with Vietnam veterans. *Journal of Traumatic Stress*, 9, 643-650.
- Sellbom, M. O. H. (2008). Locating psychopathy in abnormal range personality dimensions: The MMPI-2 restructured clinical (RC) scales as a road map. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 68(7-B), 4846.
- Sellbom, M., & BenPorath, Y. S. (2006). The Minnesota Multiphasic Personality Inventory-2. In Archer, R.P. (Ed.), *Forensic uses of clinical assessment instruments*, 19-55. Mahwah, NJ: Lawrence Erlbaum Associates Publishers.
- Sellbom, M., BenPorath, Y. S., & Stafford, K. P. (2007). A comparison of MMPI--2 measures of psychopathic deviance in a forensic setting. *Psychological Assessment*, 19(4), 430-

- Sellbom, M., BenPorath, Y. S., Baum, L. J., Erez, E., & Gregory, C. (2008). Predictive validity of the MMPI-2 Restructured Clinical (RC) scales in a batterers' intervention program. *Journal of Personality Assessment, 90*(2), 129-135.
- Seltzer, S., Dewart, D., Pollack, R. L., & Jackson, E. (1983). The effects of dietary tryptophan on chronic maxillofacial pain and experimental pain tolerance. *Journal of Psychiatric Research, 17*, 181-186.
- Senior, G., & Douglas, L. (2001). Misconceptions and misuse of the MMPI-2 in assessing personal injury claimants. *Neurorehabilitation, Vol.16*(4), 203-213.
- Severin, D. A. (2003). A taxometric analysis of MMPI-2 impression management and self-deception scales in clergy. *Dissertation Abstracts International: Section B: The Sciences & Engineering, 64*(6-B), 2939. US: Univ Microfilms International.
- Shaffer, J. W. (1981). Using the MMPI to evaluate mental impairment in disability determination. In J. N. Butcher, G. Dahlstrom, M. Gynther, & W. Schofield (Eds.), *Clinical notes on the MMPI*. Nutley NJ. Hoffman-La Roche Laboratories/NCS.
- Shaffer, J. W., Nussbaum, K., & Little, J. M. (1972). MMPI profiles of disability insurance claimants. *American Journal of Psychiatry, 129*(4), 63-67.
- Sharland, M. J. (2007). A survey of neuropsychologists' beliefs and practices with respect to the assessment of effort. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 68*(2-B), 1320.
- Sharland, M. J., & Gfeller, J. D. (2007). A survey of neuropsychologists' beliefs and practices with respect to the assessment of effort. *Archives of Clinical Neuropsychology, 22*(2), 213-223.
- Shearer, D. S. (2001). The Minnesota Multiphasic Personality Inventory-2 and low back pain surgery outcome. *Dissertation Abstracts International: Section B: the Sciences & Engineering. Vol. 62*(1-B), 532, US: Univ Microfilms International.
- Shercliffe, R. J., & Colotla, V. (2009). MMPI-2 profiles in civilian PTSD: An examination of differential responses between victims of crime and industrial accidents. *Journal of Interpersonal Violence, 24*(2), 349-360.
- Shercliffe, R.J. (2009). MMPI-2 profiles in civilian PTSD: An examination of differential responses between victims of crime and industrial accidents. *Journal of Interpersonal Violence, 24*, 349-360.
72.
- Sherman, E. S., Strauss, E., Slick, D. J., & Spellacy, F. (2000). Effects of depression on neurological functioning in head injury: Measurable but minimal. *Brain Injury, 14*, 621-632.

- Sherman, R. A., Camfield, M. R., & Arena, J. G. (1995). The effect of presence or absence of low back pain on the MMPI's conversion V. *Military Psychology*, 7, 29-38.
- Shipman, W. G., Greene, C. S., & Laskin, D. M. (1974). Correlation of placebo responses and personality characteristics in myofascial pain-dysfunction (MPD) patients. *Journal of Psychosomatic Research*, 18, 475-483.
- Shiri, S., Tsenter, J., Livai, R., Schwartz, I., & Vatine, J. (2003). Similarities between the psychological profiles of complex regional pain syndrome and conversion disorder patients. *Journal of Clinical Psychology in Medical Settings*, 10(3), 193-199.
- Shoenberg, B., Carr, A. C., Kutscher, A. H., & Zegarelli, E. V. (1971). Chronic idiopathic orolingual pain: Psychogenesis of burning mouth. *New York State Journal of Medicine*, 71, 1832-1837.
- Shulman, E. (1994). Predicting postcombat PTSD by using premilitary MMPI scores. *American Journal of Psychiatry*, 151(1), 156.
- Shulman, R., Turnbull, I. M., & Diewold, P. (1982). Psychiatric aspects of thalamic stimulation for neuropathic pain. *Pain*, 13, 127-135.
- Sillanpaa, M. C., Agar, L. M., & Axelrod, B. N. (1999). Minnesota Multiphasic Personality Inventory-2 validity patterns: An elucidation of gulf war syndrome. *Military Medicine*, 164(4), 261-263.
- Silver, S.M., & Salamone-Genovese, L. (1991). A study of the MMPI clinical and research scales for post-traumatic stress disorder diagnostic utility. *Journal of Traumatic Stress*, 4(4), 533-548.
- Singer, D. C. (1992). Chronic pain and workers' compensation: An MMPI study. *Dissertation Abstracts International*, 52, 6690-6691.
- Singer, M. T., & Schein, E. (1958). Projective test responses of prisoners of war following repatriation. *Psychiatry*, 21, 375-385.
- Sinnett, E. R. (1994). Note on the PTSD-S scale of the MMPI. *Psychological Reports*, 74, 1041-1042.
- Sinnett, E. R. (1996). Does the MMPI PTSD-PK Scale measure robustness? *Psychological Reports*, 79, 211-217.
- Sisung, J. R. J. (2006). Predictive utility of the MMPI-2 Fake Bad Scale on Wisconsin Card Sorting test performance during forensic traumatic brain evaluations. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 66(11-B), 6330.

- Sivik, T. M. (1991). Personality traits in patients with acute low-back pain: A comparison with chronic low-back pain patients. *Psychotherapy & Psychosomatics*, 56, 135-140.
- Sivik, T. M., Gustafsson, E., & Olsson, K. K. (1992). Differential diagnosis of low back pain patients: A simple quantification of the pain drawing. *Nordisk Psykiatrisk Tidsskrift*, 46, 55-62.
- Sivik, T. M., Roejvall, S., Gustafsson, E., & Klingberg-Olsson, K. (1992). Relationship between back pain and personality: Psychologic vulnerability as risk factor for the development of chronic back pain. *Nordic Journal of Psychiatry*, 46, 189-193.
- Slatkoff, J. (2007). Validity of the MMPI-a structural summary in a forensic sample: Effects of ethnicity, gender, and age. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 67(10-B), 6078.
- Slesinger, D. (2001). Minnesota Multiphasic Personality Inventory-2: Correlates in a chronic pain population. *Dissertation Abstracts International: Section B: the Sciences & Engineering*, Vol. 62(3-B), 1633.
- Slesinger, D., Archer, R. P., & Duane, D. (2002). MMPI-2 characteristics in a chronic pain population. *Assessment*, 9(4), 406-414.
- Slick, D. J., Hopp, G., Strauss, E. & Spellacy, F. J. (1996). Victoria Symptom Validity Test: Efficiency for detecting feigned memory impairment and relationship to neuropsychological tests and MMPI-2 validity scales. *Journal of Clinical and Experimental Neuropsychology*, 18, 911-922.
- Small, E. W. (2001). *An investigation into the incidence of psychogenic factors underlying the temporomandibular joint pain/dysfunction syndrome*. Old Dominion University.
- Smart, C. M., Nelson, N. W., Sweet, J. J., Bryant, F. B., Berry, D. T. R., Granacher, R. P., & Heilbronner, R. L. (2008). Use of MMPI-2 to predict cognitive effort: A hierarchically optimal classification tree analysis. *Journal of the International Neuropsychological Society*, 14(5), 842-852.
- Smith, D. P. (1969). A psychiatric study of atypical facial pain. *CMAJ*, 100, 286-291.
- Smith, D. W., & Frueh, B. (1996). Compensation seeking, comorbidity, and apparent exaggeration of PTSD symptoms among Vietnam combat veterans. *Psychological Assessment*, 8, 3-6.
- Smith, D. W., Frueh, B. C., Sawchuk, C. N., & Johnson, M. R. (1999). Relationship between symptom over-reporting and pre- and post-combat trauma history in veterans evaluated for PTSD. *Depression & Anxiety*, 10, 119-124.
- Smith, E. D. (2000). The Minnesota Multiphasic Personality Inventory (MMPI-2) and mild traumatic brain injury: Analysis of a neurocorrection factor in a litigation sample.

Dissertation Abstracts International: Section B: the Sciences & Engineering, Vol. 61(6-B), 3293, US: Univ Microfilms International

- Smith, R. J. (1990). Correlational study of the UNT Neuropsych-screen, the MMPI and time among chronic pain patients. *Dissertation Abstracts International, 50*, 4274.
- Smith, S. R., Gorske, T. T., Wiggins, C., & Little, J. A. (2010). Personality assessment use by clinical neuropsychologists. *International Journal of Testing, 10*(1), 6-20.
- Smith, T. W., Follick, M. J., & Ahern, D. K. (1985). Life-events and psychological disturbance in chronic low back pain. *British Journal of Clinical Psychology, 24*, 207-208.
- Smith, T. W., Berger, E. W., Follick, M. J., & Ahern, D. K. (1986). Cognitive distortion and psychological distress in chronic low back pain. *Journal of Consulting & Clinical Psychology, 54*, 573-575.
- Smith, W. L. (1979). Personality and the relief of chronic pain: Predicting surgical outcome. *Clinical Neuropsychology, 1*, 35-38.
- Snibbe, J. R., Peterson, P. J., & Sosner, B. (1980). Study of psychological characteristics of a worker's compensation sample using the MMPI and Millon Clinical Multiaxial Inventory. *Psychological Reports, 47*, 959-966.
- Snyder, D. K. (1990). Assessing chronic pain with the Minnesota Multiphasic Personality Inventory (MMPI). In T. W. Miller (Ed.), *Chronic pain*, 215-257. Madison, CT, USA: International Universities Press, Inc.
- Snyder, D. K., & Power, D. G. (1981). Empirical descriptors of unelevated MMPI profiles among chronic pain patients: A typological approach. *Journal of Clinical Psychology, 37*, 602-607.
- Solbakk, A. K. Reinvang, I., & Nielsen, C. S. (2000). ERP indices of resource allocation difficulties in mild head injury. *Journal of Clinical & Experimental Neuropsychology, 22*.
- Solberg, W., Flint, R., & Brantner, J. (1972). Temporomandibular joint pain and dysfunction: a clinical study of emotional and occlusal components 1557. *Journal of Prosthetic Dentistry, 28*, 412-422.
- Sparta, S. N., & Koocher, G. P. (2006). *Forensic mental health assessment of children and adolescents*. New York, NY: Oxford University Press.
- Spaulding, R. C. & Ford, C. V. (1972). The Pueblo incident: Psychological reactions to the stresses of imprisonment and repatriation. *American Journal of Psychiatry, Vol.129*, 17-26.
- Sperr, E. V., Sperr, S. J., & Craft, R. (1990). MMPI profiles and post-traumatic symptomatology in former prisoners of war. *Journal of Traumatic Stress, 3*, 369-378.

- Staudenmayer, H., & Phillips, S. (2007). MMPI-2 validity, clinical and content scales, and the Fake Bad Scale for personal injury litigants claiming idiopathic environmental intolerance. *Journal of Psychosomatic Research*, 62(1), 61-72.
- Steffen, L. J. (1999). MMPI-2 indicators of return to work following injury and participation in a chronic pain program. *Dissertations International: Section B: the Sciences & Engineering*. Vol. 59(7-B), 3716. US: Univ Microfilms International.
- Stein, N., Fruchter, H. J., & Trief, P. M. (1983). Experiences of depression and illness behavior in patients with intractable chronic pain. *Journal of Clinical Psychology*, 39, 31-33.
- Sternbach, R. A., Wolf, S. R., Murphy, R. W., & Akeson, W H. (1973). Traits of pain patients: The low back "loser." *Psychosomatics*, 14, 226-229.
- Stevens, R. R. (1967). Sex differences and personality correlates of pain experience 1622. *DA*, 28, 2633B.
- Stone, R. K., & Pepitone-Arreola-Rockwell, F. (1983). Diagnosis of organic and functional pain patients with the MMPI. *Psychological Reports*, 52, 539-548.
- Strassberg, D. S. (1981). The MMPI and chronic pain. *Journal of Consulting & Clinical Psychology*, 49, 220-226.
- Strassberg, D. S., & Russell, S. W. (2000). MMPI-2 content scales validity within a sample of chronic pain patients. *Journal of Psychopathology and Behavioral Assessment*, 22(1), 47-61.
- Strassberg, D. S., Tilley, D., Bristone, S., & Oei, T. P. (1992). The MMPI and chronic pain: A cross-cultural view. *Psychological Assessment*, 4, 493-497.
- Sullivan, M., Toshima, M., Lynn, P., & Roy-Byrne, P. (1993). Phenobarbital versus clonazepam for sedative-hypnotic taper in chronic pain patients: A pilot study. *Annals of Clinical Psychiatry*, 5, 123-128.
- Summers, M. N., Hyer, L. A., Boyd, S., & Boudewyns, P. A. (1996). Diagnosis of later-life PTSD among elderly combat veterans. *Journal of Clinical Geropsychology*, 2, 103-115.
- Sutker, P. B. B. F. A. A. N. (1991). Psychometric prediction of PTSD among POW survivors. *Psychological Assessment*, 3, 105-110.
- Sutker, P. B., & Allain, A. N. (1996). Assessment of PTSD and other mental disorders in World War II and Koren conflict POW survivors and combat veterans. *Psychological Assessment*, 8(1), 18-25.

- Sutker, P. B., Allain, A. N. & Johnson, J. L. (1993). Clinical assessment of long-term cognitive and emotional sequelae to World War II prisoner-of-war confinement: Comparison of pilot twins. *Psychological Assessment, 5*, 3-10.
- Sutker, P. B. Allain, A. N., & Motsinger, P. (1988). Minnesota Multiphasic Personality Inventory (MMPI)-derived psychopathology subtypes among former prisoners of war (POWs): Replication and extension. *Journal of Psychopathology & Behavioral Assessment, 10*, 129-140.
- Sutker, P. B., Winstead, D. K., & Galena, Z. (1991). Cognitive deficits and psychopathology among former prisoners of war and combat veterans of the Korean conflict. *American Journal of Psychiatry, 148*, 67-72.
- Sutker, P. B., Winstead, D. K., Goist, K. C., & Malow, R. M. (1986). Psychopathology subtypes and symptom correlates among former prisoners of war. *Journal of Psychopathology & Behavioral Assessment, 8*, 89-101.
- Suzuki, L. A., & Ponterotto, J. G. (2008). *Handbook of multicultural assessment: Clinical, psychological, and educational applications*. San Francisco, CA: Jossey-Bass.
- Swanson, D. W., Maruta, T., & Wolff, V. A. (1986). Ancient pain. *Pain, 25*, 383-387.
- Swanson, D. W., Swenson, E.M., Maruta, T., McPhee, M.C. (1976). Program for managing chronic pain. *Mayo Clinic Proceedings, 51*, 401-408.
- Sweet, J. J. (1981). The MMPI in evaluation of response to treatment of chronic pain. *American Journal of Clinical Biofeedback, 4*, 121-130.
- Sweet, J. J. (1985). The Millon Behavioral Health Inventory: Concurrent and predictive validity in a pain treatment center. *Journal of Behavioral Medicine, 8*, 215-226.
- Talbert, F. S., Albrecht, N. N., Albrecht, J. W. et al. (1994). MMPI profiles in PTSD as a function of comorbidity. *Journal of Clinical Psychology, 50*, 529-537.
- Takaishi, N. (1967). Psychological features of pregnant women under training for painless delivery. *Journal of the Japanese Psychosomatic Society, 7*, 371-372.
- Tapp, J. T. (1989). A multisystems perspective on chronic pain. *Psychotherapy in Private Practice, 7*, 1-15.
- Tatrow, K., Blanchard, E. B., Hickling, E. J., & Silverman, D. J. (2003). Posttraumatic headache: Biopsychosocial comparisons with multiple control groups. *Headache, 43*(7), 755-766.
- Taylor, M. L. (1988). The relationship between M.M.P.I. profile cluster subgroup membership and self-report of treatment effect from a multidisciplinary chronic pain treatment program. *Dissertation Abstracts International, 48*, 3427.

- Terelak, J., Tarnowski, A., & Kwasucki, J. (1993). Psychometric utility of the Zung and Handler Tests for the estimation of a psychological component of low-back pain. [Polish]. *Przeglad Psychologiczny*, 36, 87-97.
- Thomas, M. R., & Lyttle, D. (1976). Development of a diagnostic checklist for low back pain patients. *Journal of Clinical Psychology*, 32, 125-129.
- Thomas, M. R., & Lyttle, D. (1980). Patient expectations about success of treatment and reported relief from low back pain. *Journal of Psychosomatic Research*, 24, 297-301.
- Thrift, R. D. (1990). The use of the MMPI in identifying personality factors affecting maximum voluntary effort in a chronic low back pain rehabilitation program. *Dissertation Abstracts International*, 51, 2665.
- Timmermans, G. & Sternbach, R. A. (1974). Factors of human chronic pain: An analysis of personality and pain reaction variables. *Science*, Vol. 184, 806-808.
- Tippery, M. A. (1987). Development of an MMPI subscale and a 3-item rating scale to predict outcome of inpatient multidisciplinary treatment of pain. *Dissertation Abstracts International*, 47, 4339.
- Toomey, T. C., Ghia, J. N., Mao, W., & Gregg, J. M. (1977). Acupuncture and chronic pain mechanisms: The moderating effects of affect, personality, and stress on response to treatment. *Pain*, 3, 137-145.
- Torre, E., Ancona, M., Nattero, G., & de Lorenzo, C. (1987). Cefalee idiopatiche: profili di personalita. Indagini sulla popolazione maschile e femminile ed effetti del dolore cronico. / Idiopathic headaches: Personality profiles: Studies on male and female populations and the effects of chronic pain. *Medicina Psicosomatica*, 32, 97-117.
- Torre, E., Ancona, M., Nattero, G., & de Lorenzo, C. (1987). Idiopathic headaches: Personality profiles: Studies on male and female populations and the effects of chronic pain. [Italian]. *Medicina Psicosomatica*, 32, 97-117.
- Trabin, T., Rader, C., & Cummings, C. (1987). A comparison of pain management outcomes for disability compensation and non-compensation patients. *Psychology & Health*, 1, 341-351.
- Trief, P. M. & Yuan, H. A. (1983). The use of the MMPI in a chronic back pain rehabilitation program. *Journal of Clinical Psychology*, 39, 46-53.
- Tsushima, W.T. (2009). Comparison of MMPI-2 validity scales among compensation-seeking Caucasian and Asian American medical patients. *Assessment*, 16, 159-164.
- Tsushima, W.T., Olga, G., & Fabrigas, J. (2011). Comparison of MMPI-2 validity scale scores of

personal injury litigants and disability claimants. *The Clinical Neuropsychologist*, 25, 1403-1414.

Tsushima, W. T., & Tsushima, V. G. (1993). Relation between headaches and neuropsychological functioning among head injury patients. *Headache*, 33, 139-142.

Tsushima, W. T., & Tsushima, V. G. (2001). Comparison of the fake bad scale and other MMPI-2 validity scales with personal injury litigants. *Assessment*, 8, 205-211.

Tsushima, W. T., & Newbill, W. (1996). Effects of headaches during neuropsychological testing of mild head injury patients. *Headache*, 36, 613-615.

Tsushima, W. T., Pang, D. B., & Stoddard, V. M. (1987). Sex similarities and differences in the biofeedback treatment of chronic pain. *Clinical Biofeedback & Health: An International Journal*, 10, 45-50.

Tsushima, W. T., & Stoddard, V. M. (1990). Ethnic group similarities in the biofeedback treatment of pain. *Medical Psychotherapy: an International Journal*, 3, 69-75.

Tsushima, W. T., & Wong, J. M. (1992). Comparison of legal and medical referrals to neuropsychological examination following head injury. *Forensic Reports*, 5, 359-366.

Tsytsareva, I. V. (1986). The role of the patients' personality-psychological peculiarities in mental decompensations in late depressions. [Russian]. *Trudy Leningradskogo Nauchno-Issledovatel'skogo Psichonevrologicheskogo Instituta im V M Bekhtereva*, 114, 40-47.

Turk, D. C. & Rudy, T. E. (1992). Classification logic and strategies in chronic pain. In D.C.Turk (Ed.), *Handbook of pain assessment*, 409-428. New York, NY, USA: Guilford Press.

Turner, J., & McCreary, C. P. (1978). Short forms of the MMPI with back pain patients. *Journal of Consulting & Clinical Psychology*, 46, 354-355.

Turner, J. A., & Romano, J. M. (1984). Self-report screening measures for depression in chronic pain patients. *Journal of Clinical Psychology*, 40, 909-913.

Turner, J. A., Herron, L., & Weiner, P. (1986). Utility of the MMPI Pain Assessment Index in predicting outcome after lumbar surgery. *Journal of Clinical Psychology*, 42, 764-769.

Turner, J. A., Calsyn, D. A., Fordyce, W. E., & Ready, L. (1982). Drug utilization patterns in chronic pain patients. *Pain*, 12, 357-363.

Ursano, R. J., Wheatley, R., Sledge, W., & Rahe, A. (1986). Coping and recovery styles in the Vietnam era prisoner of war. *Journal of Nervous & Mental Disease*, 174, 707-714.

Vagnini, V. L., Sollman, M. J., Berry, D. T. R., Granacher, R. P., Clark, J. A., Burton, R., O'Brien, M., Bacon, E., & Saier, J. (2006). Known-groups cross-validation of the letter

memory test in a compensation-seeking mixed neurologic sample. *The Clinical Neuropsychologist*, 20(2), 289-304.

Vander Kolk, C. J. & Stewart, W. W. (1988). Characteristics of injured persons involved in litigation. *Vocational Evaluation & Work Adjustment Bulletin*, 21, 103-106.

Vanderploeg, R.D., Sison, G.F., & Hickling, E.J. (1987). A reevaluation of the use of the MMPI in the assessment of combat-related posttraumatic stress disorder. *Journal of Personality Assessment*, 51, 140-150.

Vando, A. (1970). A personality dimension related to pain tolerance. *Dissertation Abstracts International*, Vol 31, 2292-2293.

Van Hoof, E., De Meirleir, K., Cluydts, R., & Coomans, D. (2003). The symptoms and psychiatric status of the Bijlmermeer plane crash disaster: Similarities with chronic fatigue syndrome and gulf war syndrome. *Journal of Chronic Fatigue Syndrome*, 11(3), 3-21.

Vendrig, A. A. (1999). *The prediction of outcome in the multimodal treatment of chronic back pain: The role of emotional distress and personality*. Doctoral Dissertation, University of Nijmegen, The Netherlands.

Vendrig, A. A. (1999). Prognostic factors and treatment-related changes associated with return to work in the multimodal treatment of chronic back pain. *Journal of Behavioral Medicine*, 22, 217-232.

Vendrig, A. A. (2000). The Minnesota Multiphasic Personality Inventory and chronic pain: A conceptual analysis of a long-standing but complicated relationship. *Clinical Psychology Review*, 20, 533-559.

Vendrig, A. A. & Derkzen, J. J. (1999). Utility of selected MMPI-2 scales in the outcome prediction for patients with chronic back pain. *Psychological Assessment*, 11, 381-385.

Vendrig, A. A., de Mey, H. R., Derkzen, J. L., & van Akkerveeken, P. F. (1998). Assessment of chronic back pain patient characteristics using factor analysis of the MMPI-2: Which dimensions are actually assessed? *Pain*, 76, 179-188.

Vendrig, A. A., Derkzen, J. L., & de Mey, H. R. (1999). Utility of selected MMPI-2 scales in the outcome prediction for patients with chronic back pain. *Psychological Assessment*, 11(3) 381-385.

Vendrig, A. A., Derkzen, J. J. L., & de Mey, H. R. (2000). MMPI-2 Personality Psychopathology Five (PSY-5) and prediction of treatment outcome for patients with chronic back pain. *Journal of Personality Assessment*. Vol 74(3), 423-438.

- Veith, W. T. (1995). Use of the MMPI malingering indices to differentiate type of claim and employment status in workers' compensation claimants. *Dissertation Abstracts International*, 56, 0539.
- Veraldi, D. M. (1992). Assessing PTSD in personal injury cases. *American Journal of Forensic Psychology*, 10, 5-13.
- Volpini, M. (1992). Unemployment and mental health: Research on the workers of the SIT Printing Company of Terni receiving unemployment compensation. [Italian]. *Medicina Psicosomatica*, 37, 235-245.
- von Baeyer, C. L., Bergstrom, K. J., Brodwin, M. G., & Brodwin, S. K. (1983). Invalid use of pain drawings in psychological screening of back pain patients. *Pain*, 16, 103-107.
- von Baeyer, C. L., & Wyant, G. M. (1988). Tension in opposing muscle groups and psychopathology: The "spring response" in chronic pain patients and normal subjects. *Pain Clinic*, 2, 7-14.
- Wade, J. B., Dougherty, L. M., Hart, R. P., & Cook, D. B. (1992). Patterns of normal personality structure among chronic pain patients. *Pain*, 48, 37-43.
- Wade, J. B., Price, D. D., Hamer, R. M., & Schwartz, S. M. (1990). An emotional component analysis of chronic pain. *Pain*, 40, 303-310.
- Watson, W. G., Plemel, D., DeMotts, J., & Howard, M. T.; et al (1994). A comparison of four PTSD measures' convergent validities in Vietnam veterans. *Journal of Traumatic Stress*, 7, 75-82.
- Wang, Y., Wu, C., & Wu,A. (2000). The MMPI results in patients with chronic pain. *Chinese Mental Health Journal*, 14.
- Watson, D. (1982). Neurotic tendencies among chronic pain patients: An MMPI item analysis. *Pain*, 14, 365-385.
- Watson, C. G., Herder, J., Kucala, T., & Hoodecheck-Schow, E. (1987). Intellectual deterioration and personality decompensation in schizophrenia. *Journal of Clinical Psychology*, 43, 447-455.
- Watson, C. G., Juba, M., Anderson, P. E., & Manifold, V. (1990). What does the Keane et al. PTSD scale for the MMPI measure? *Journal of Clinical Psychology*, 46, 600-606.
- Watson, C. G., Plemel, D., DeMotts, J., & Howard, M. T. (1994). A comparison of four PTSD measures' convergent validities in Vietnam veterans. *Journal of Traumatic Stress*, 7, 75-82.
- Wehrlin, M. G. (1993). The efficacy of the MMPI-2 PTSD scale in identifying past abuse. *Dissertation Abstracts International*, 53, 4972.

- Weisberg, J. N., & Vaillancourt, P. D. (1999). Personality factors and disorders in chronic pain. [Review] [81 refs]. *Seminars in Clinical Neuropsychiatry*, 4, 155-166.
- Wetzel, R. D., Clayton, P. J., Cloninger, C. Robert; B. J., Martin, R. L., Guze, S. B., Yutzy, S. H., & North, C. (2000). Diagnosis of posttraumatic stress disorder with the MMPI: PK scale scores in somatization disorder. *Psychological Reports*, Vol. 87(2), 535-541.
- Wheatley, R. D. (1984). Psychometric evaluation of head injury among fliers referred to the USAF School of Aerospace Medicine. *USAF School of Aerospace Medicine Technical Report, Tech. Rp.*, 84-47, 21.
- White, G. A. (1996). A descriptive study of the MMPI profiles of chronic pain patients following successful rehabilitation. *Dissertation Abstracts International*, 56, 7087.
- Wicklund, A. H., Ammar, A., Weitlauf, J. C., Heilbronner, R. L., Fink, J., Lee, R. C., Kelley, K., & Pliskin, N. H. (2008). MMPI-2 patterns in electrical injury: A controlled investigation. *The Clinical Neuropsychologist*, 22(1), 98-111.
- Wilcoxon, M. A., Zook, A., & Zarski, J. J. (1988). Predicting behavioral outcomes with two psychological assessment methods in an outpatient pain management program. *Psychology & Health*, 2, 319-333.
- Williams, R. B. (1986). Psychosocial and physical predictors of anginal pain relief with medical management. *Psychosomatic Medicine*, 48, 200-210.
- Williams, S. C. (1979). MMPI assessment of the chronic Low-Back Pain syndrome: The "conversion V" as an iatrogenic profile. *Dissertation Abstracts International*, 39, 6151.
- Williams, C. L., Butcher, J. N. & Paulsen, J. A. (in press). The Predominant Multi-Dimensional Self-Report Inventory of Psychopathology: The MMPI-2. In G. Goldstein, D. N. Allen & J. DeLuca (Eds). *Handbook of Psychological Assessment, Fourth Edition*. Philadelphia, Pa: Elsevier.
- Wise, E. A. (1996). Diagnosing posttraumatic stress disorder with the MMPI clinical scales: A review of the literature. *Journal of Psychopathology and Behavioral Assessment*, 18, 71-82.
- Wittenauer, D. A. (1988). Psychological and demographic variables related to duration of pain in chronic pain syndrome. *Dissertation Abstracts International*, 49, 1414.
- Wolf, G.K. (2006). *The neuropsychiatric symptoms of complex PTSD: Evaluating the sensitivity and specificity of MMPI scale 8 items to identify adult survivors of childhood abuse*. (Doctoral Dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3238908).
- Wright, A. R. (1998). Psychosocial factors involved in the progression from acute to chronic low back pain disability. *Dissertation Abstracts International*, 58, 4479.

- Wright, D.C. (2007). *Development and validation of new MMPI-2 scales to assess PTSD*. (Doctoral Dissertation). Retrieved from Dissertations and Theses database. (UMI No. 3255378).
- Wyermann, Norris, & Hyer. (1996). Examining comorbidity and posttraumatic stress disorder in a Vietnam veteran population using the MMPI-2. *Journal of Traumatic Stress, 9*(2), 353-360.
- Wygant, D. B. (2008). Validation of the MMPI-2 infrequent somatic complaints (FS) scale. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 68*(10-B), 6989.
- Wygant, D. B., Sellbom, M., BenPorath, Y. S., Stafford, K. P., Freeman, D. B., & Heilbronner, R. L. (2007). The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation context. *Archives of Clinical Neuropsychology, 22*(4), 489-499.
- Wygant, D.B., Sellborn, M., Gervais, R.O., Ben-Porath, Y.S., Stafford, K.P., Freeman, D.B., & Heilbronner, R.L. (2010). Further validation of the MMPI-2 and MMPI-2-RF response bias scale: Findings from disability and criminal forensic settings. *Psychological Assessment, 22*, 745-756.
- Youngjohn, J. R., Burrows, L., & Erdal, K. (1995). Brain damage or compensation neurosis? The controversial post-concussion syndrome. *Clinical Neuropsychologist, 9*, 112-123.
- Youngjohn, J. R., Davis, D., & Wolf, I. (1997). Head injury and the MMPI-2: Paradoxical severity effects and the influence of litigation. *Psychological Assessment, 9*, 177-184.
- Youngjohn, J. R., Spector, J., & Mapou, R. L. (1997). Neuropsychological findings in silicone breast-implant complainants: Brain damage, somatization, or compensation neuroses? *Clinical Neuropsychologist, 11*, 132-141.
- Zaretsky, H. H., Lee, M. H., & Rubin, M. (1976). Psychological factors and clinical observations in acupuncture analgesia and pain abatement. *Journal of Psychology, 93*, 113-120.
- Zierhoffer, D. M. (1997). Validity of the Pk and Ps scales of the MMPI-2: Ptsd and incest. *Dissertation Abstracts International, 57*, 3835.
- Ziesat, H. A. (1978). Are family patterns related to the development of chronic back pain? *Perceptual & Motor Skills, 46*, 1062.
- Ziesat, H. A., & Gentry, W. (1978). The Pain Apperception Test: An investigation of concurrent validity. *Journal of Clinical Psychology, 34*, 786-789.

