



HAPPENINGS WITH THE MMPI-2 IN CHINA



The Use of the MMPI-2 in China

The MMPI-2 has become widely used in China for both clinical assessment and research in psychopathology. The MMPI was originally adapted for use in China by Prof. Fanny Cheung of the Chinese University of Hong Kong in the 1980's. Professor Song Wei Zhen and J. X. Zhang, professors from the Beijing University, and Dr. Cheung conducted the MMPI normative study in the People's Republic of China. For an overview of the research and development of the MMPI and MMPI-2 in Hong Kong and Mainland China see:

Butcher, J. N., Cheung, F. M., & Lim, J. (2003). Use of the MMPI-2 with Asian Populations. *Psychological Assessment*, 15, 248-256.

Cheung, F. M., & Song, W. Z. (1989). A review on the clinical applications of the Chinese MMPI. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 1, 230-237.

Cheung, F. M., Song, W. Z., & Zhang, J. X. (1996). The Chinese MMPI-2: Research and applications in Hong Kong and the People's Republic of China. In J. N. Butcher (ed.), *International adaptations of the MMPI-2: A handbook of research and applications* (pp. 137-161). Minneapolis: University of Minnesota Press.

When the MMPI revision program was complete and the MMPI-2 published in 1989, Dr. Cheung and her colleagues adapted the revised version of the MMPI (MMPI-2) in Hong Kong and Mainland China.

During this period, Professor Cheung and James Butcher conducted MMPI workshops in Hong Kong and Beijing in 1985 to introduce the MMPI to Chinese populations. Workshops on the MMPI and MMPI-2 were conducted at the Sun Yat Sen University in Guangzhou, China (1991) and Hong Kong to introduce the MMPI-2 when the Chinese standardization was completed (See Photos).

The Chinese MMPI-2 publisher is:

Chinese University Press

Web link: www.chineseupress.com/promotion/mmpi_2/mmpi_e.html

Sha Tin, N.T., Hong Kong

+ 852-2609-6500, + 852-2609-6508 (phone)

+ 852-2603-7355 (fax)

E-mail: cup@cuhk.edu.hk

Translated by Fanny Cheung



Beijing MMPI Workshop in 1985 (James Butcher, Fanny Cheung and Song Wei Zhen (Center))



MMPI-2 Workshop Conducted at the Sun Yat Sen University in Guangzhou, China in 1991 by James Butcher, Fanny Cheung, Carolyn Williams and Song Wei Zhen.

Two recent workshops on MMPI-2 interpretation were conducted in Hong Kong and Beijing:

Butcher, J. N. & Cheung, F. M. Workshop on the MMPI-2 and Forensic Psychology. Chinese University of Hong Kong and the Social Welfare Department, Hong Kong, May, 2006.

Butcher, J. N. & Cheung, F. M. Workshop on the MMPI-2 and Cross-Cultural applications of the MMPI-2. Institute of Psychology, University of Beijing, Beijing, May, 2006.



Workshop on the MMPI-2 in Hong Kong, May, 2006 conducted by James Butcher, Fanny Cheung, and hosted by Helios Kc Lau of the Social Welfare Department of the Hong Kong Special Administration Region Government.



MMPI-2 Workshop conducted in Beijing, China by James Butcher and Fanny Cheung in May, 2006.

Research overview of Recent Developments in Hong Kong and Mainland China.

The MMPI-2 is being widely researched in China. Listed below are a number of publications of the MMPI and MMPI-2 in China to provide an overview of the broad range of topics being researched.

REFERENCES ON THE USE OF THE MMPI/MMPI-2 IN CHINA

8/21/17

- Akutsu, P. D., & Chu, J. P. (2012). Issues in the research and assessment of psychopathology in Asians. In E. C. Chang (Ed.), *Handbook of adult psychopathology in Asians: Theory, diagnosis, and treatment* (pp. 30-56) New York, NY: Oxford University Press. doi:10.1093/med:psych/9780195179064.003.0003.
- Arnold, B. R., & Smith, J. L. (2013). Methodologies for test translation and cultural equivalence. In F. A. Paniagua & A. Yamada (Eds.), *Handbook of multicultural mental health: Assessment and treatment of diverse populations., 2nd ed.* (pp. 243-262). San Diego, CA: Elsevier Academic Press, US. doi:10.1016/B978-0-12-394420-7.00013-8.
- Boey, K. W. (1985). The MMPI response pattern of Singapore Chinese. *Acta Psychologica Sinica*, 17(4), 377-383 (in Chinese).
- Butcher, J. N., Cheung, F. M., & Lim, J. (2003). Use of comprehensive personality inventories with Asian populations. *Psychological Assessment*, 15, 248-256.
- Butcher, J. N., & Williams, C. L. (2009). Personality assessment with the MMPI-2: Historical roots, international adaptations, and current challenges. *Applied Psychology: Health and Well-Being*, 2, 105-135
- Butcher, J. N. (2005). Exploring Universal Personality Characteristics: An Objective Approach. *International Journal of Clinical and Health Psychology*, 5, 553-566
- Byrne, B. M. (2012). Internationalizing courses in testing and assessment. In F. T. L. Leong, W. E. Pickren, M. M. Leach, & A. J. Marsella (Eds.), *Internationalizing the psychology curriculum in the United States.* (pp. 131-155). New York, NY: Springer Science + Business Media, US.
- Chan, C. C., Li, W. W. L., & Leung, E. C. (2016). Problem gambling in Hong Kong and Macao: Etiology, prevalence and treatment. New York, NY: Springer Science + Business Media, US.
- Chang, Y. T., Wai-Cheong, C., Shiah, Y., & Chiang, S. (2017). A pilot study on the chinese minnesota multiphasic personality inventory-2 in detecting feigned mental disorders: Simulators classified by using the structured interview of reported symptoms. *PsyCh Journal*, No Pagination Specified. doi:10.1002/pchj.169
- Chen, Q., Quan, X., Lu, H., Fei, P., & Li, M. (2015). Comparison of the personality and other psychological factors of students with Internet addiction who do and

do not have associated social dysfunction. *Shanghai Archives of Psychiatry*, 27(1), 36-41.

Chen, X, Z., Xue, J. F., & Liu, Z.X. (2003). Personality Types of Female Prisoners. *Chinese Journal of Clinical Psychology*, 11 (1), 51-52 (in Chinese).

Chen, L. (2006). The Psychological Health of Community Police in Liaoning Province. *Journal of Dalian Nationalities University*, 2006-06.

Chen, Y. (2008). Applied values of the MMPI in patients with schizophrenia. *Journal of Clinical Psychosomatic Diseases*, 2008-01.

Chen, Y., He, H.F., & Wang, Z.H. (2011). Mental states of postgraduates' in specialty of Chinese clinical medicine. *Education of Chinese Medicine*, 3, 022.

Cheung, F.M. (1985). Cross-cultural considerations for the translation and adaptation of the Chinese MMPI in Hong Kong. Chapter in J.N. Butcher and C.D. Spielberger (Eds.) *Advances in personality assessment, Volume IV*. Hillsdale, N.J.: Lawrence Erlbaum Associates, 131-158.

Cheung, F. M., Cheung, S. F., & Fan, W. (2013). From Chinese to cross-cultural personality inventory: A combined emic-etic approach to the study of personality in culture. In M. J. Gelfand, C. Chiu, & Y. Hong (Eds.), *Advances in culture and psychology, Vol. 3* (pp. 117-179). New York, NY: Oxford University Press.
doi:10.1093/acprof:oso/9780199930449.003.0003.

Cheung, F. M. (1995). *The Chinese Minnesota Multiphasic Personality Inventory Manual*. Hong Kong: The Chinese University Press.

Cheung, F. M. (1996). The assessment of psychopathology in Chinese societies. In M. H. Bond (ed.), *Handbook of Chinese psychology* (pp. 393-411). Hong Kong: Oxford University Press.

Cheung, F.M. (2003). *Manual of the Minnesota Multiphasic Personality Inventory-2(MMPI-2) Chinese edition*. Hong Kong: The Chinese University Press.

Cheung, F. M. (2004). Use of Western- and indigenously-developed personality tests in Asia. *Applied Psychology: An International Review*, 53, 173-191.

Cheung, F. M., & Cheung, S. F. (2003). Measuring personality and values across cultures: Imported versus indigenous measures. In W. J. Lonner, D. L. Dinnel, S. A. Hayes, & D. N. Sattler (Eds.), *Online Readings in Psychology and Culture* (Unit 6, Chapter 5), (<http://www.wvu.edu/~culture>), Center for Cross-Cultural Research, Western Washington University, Bellingham, Washington USA.

Cheung, F. M., Cheung, S. F., & Zhang, J. X. (2004). Convergent validity of the Chinese Personality Assessment Inventory and the Minnesota Multiphasic Personality Inventory-2: Preliminary findings with a normative sample. *Journal of Personality Assessment, 82*, 92-103.

Cheung, F. M., & Ho, R. M. (1997). Standardization of the Chinese MMPI-A in Hong Kong: A preliminary study. *Psychological Assessment, 9*, 499-502. Cheung, F. M., & Leung, K. (1998). Indigenous personality measures: Chinese examples. *Journal of Cross-Cultural Psychology, 29*, 233-248.

Cheung, F. M., Leung, K., Fan, R. M., Song, W. Z., Zhang, J. X., & Zhang, J. P. (1996). Development of the Chinese Personality Assessment Inventory. *Journal of Cross-Cultural Psychology, 27*, 143-164.

Cheung, F. M., Leung, K., Zhang, J. X., Sun, H. F., Gan, Y. Q., Song, W. Z., & Xie, D. (2001). Indigenous Chinese personality construct: Is the Five Factor Model complete? *Journal of Cross-Cultural Psychology, 32*, 407-433.

Cheung, F. M., & Song, W. Z. (1989). A review on the clinical applications of the Chinese MMPI. *Psychological Assessment: A Journal of Consulting and Clinical Psychology, 1*, 230-237.

Cheung, F. M., Song, W. Z., & Butcher, J. N. (1991). An infrequency scale for the Chinese MMPI. *Psychological Assessment, 3*, 648-653.

Cheung, F. M., Song, W. Z., & Zhang, J. X. (1996). The Chinese MMPI-2: Research and applications in Hong Kong and the People's Republic of China. In J. N. Butcher (ed.), *International adaptations of the MMPI-2: A handbook of research and applications* (pp. 137-161). Minneapolis: University of Minnesota Press.

Cheung, F. M., Zhao, J. C., & Wu, C. Y. (1992). Chinese MMPI profiles among neurotic patients. *Psychological Assessment, 4*, 214-218.

Chongwang, C., Heming, W., & Shunnan, G. (2011). Preliminary findings in ablating the nucleus accumbens using stereotactic surgery for alleviating psychological dependence on alcohol. *Chinese Journal of Stereotactic and Functional Neurosurgery, 1*, 016.

Chu, S. M. (2001). An analysis of the MMPI results of 47 male criminals. *Chinese Journal of Clinical Psychology, 9* (3), 224-225 (in Chinese).

Cui, L., Meng, Q., Zhang, S., et al. (2007). A study on the differences of MMPI between major depression disorder and Schizophrenia. *Chinese General Practice, 2007-12*.

Cui, L., Yu, X., Meng, Q., et al. (2006). A study on the significance of MMPI in clinical diagnosis and identification of mental diseases. *Journal of Hebei Medical College for Continuing Education*, 2006-03.

Dong, Y., Xu, Q., Wang, X., et al. (2009). Predictive analysis of the crisis state of hospitalized psychiatric patients by MMPI test and psychological intervention. *Journal of Qilu Nursing*, 2009-19.

Fan, Q. (2000). A research on the personalities of 1,557 criminals and law-violators. *Psychological Science (China)*, 23(1), 55-58 (in Chinese).

Gao, C. G., Ji, S. M., Su, Z. Q., & Gao, H. R. (2001). A study of clinical features and personality types on obsessive-compulsive disorder. *Chinese Journal of Clinical Psychology*, 9(1), 24-27 (in Chinese).

Gong, J., Miao, D., Xiao, W., et al. (2006). Effect analysis of the response time of F scale in MMPI-215 in the male youth. *Chinese Journal of Behavioral Medical Science*, 2006-06.

Gong, J., Miao, D., Zhu, X., Xiao, W., & Zhang, Y. (2008). Analysis of demographic factors on F scores and evaluation of new configurations of F scales. *Social Behavior and Personality: An International Journal*, 36, 737-742.

Guo, R., Wang, J., & Wu, X. (2007). An analysis of MMPI on insomnia patients. *Journal of Psychiatry*, 2007-06.

Guan, G. F., Tang, J. S., Xue, J. F., & Zhou, H. Y. (2002). MMPI results of 105 patients with alcohol dependence. *Chinese Mental Health Journal*, 16 (2), 116-120 (in Chinese).

Han, L., Shi, W. Y., Liu, J. L., Tian, B., & et al. (1993). Chinese T score vs. American T score of MMPI: Discriminant validity for neurotic patients and normal subjects. *Chinese Mental Health Journal*, 7(3), 102-105 (in Chinese).

Hu, Z.W., Ji, K., Liu, C., Zhang, B.P., Lin, X.F., & Ji, P. (2011). A study on the relationship between temporomandibular disorders and psychological factors of university student. *Chinese Journal of Prosthodontics*, 3, 020.

Huang, A. C. W., Chen, H., Wang, Y., & Wang, L. (2014). Internet abusers associate with a depressive state but not a depressive trait. *Psychiatry and Clinical Neurosciences*, 68, 197-205. doi:10.1111/pcn.12124

- Huang, G., Jia, R., Huang, G., & Wu, R. (2010). Contribution of component factors to internet addiction disorder for vocational students. *2010 International Forum on information Technology and Applications*, pp.206-209.
- Ji, S. M., Chen, P. Z., Ji, Y. P., Dong, Q. H., Cheng, G. (1996). Construct validity of the Chinese version of the MMPI. *Chinese Journal of Clinical Psychology*, 4 (1), 20-23 (in Chinese).
- Ji, S. M., Gao, C. G., Li, M. X., Ji, Y. P., Guo, C. J., & Fang, M. (1999). Effect of K correction on the profile of the MMPI. *Chinese Journal of Clinical Psychology*, 7(1), 12-15 (in Chinese).
- Jia, F. J., Yang, D. S., Wang, X. Y., Zhang, B., Xue, G. M., Men, X. M., Zhang, H. (1996). Results of the MMPI of those paralyzed in the Tangshan earthquake 21 years later. *Chinese Mental Health Journal*, 13 (5), 297 (in Chinese).
- Jiang, W., Li, Z., & Zhang, W. (2007). Analysis of results of MMPI of heroin dependent patients under voluntary detoxification. *Chinese Journal of Drug Dependence*, 2007-02.
- Kadri, Z. N. (1971). The use of the MMPI for personality study of Singapore students. *British Journal of Social and Clinical Psychology*, 10, 90-91.
- Kwan, K.L. K. (1999). MMPI and MMPI-2 performance of the Chinese: Cross-cultural applicability. *Professional Psychology: Research and Practices*, 30, 260-268.
- Lee, B. (2013). Ambivalence over emotional expression and symptom attribution are associated with self-reported somatic symptoms in Singaporean school adolescents. *Asian Journal of Social Psychology*, 16, 169-180. doi:10.1111/ajsp.12005
- Lee, H. C. B., Cheung, F. M., Man, H. M., & Hsu, S. Y. (1992). Psychological characteristics of Chinese low back pain patients: An exploratory study. *Psychology and Health*, 6(1-2), 119-128.
- Lei, M., Wang, J. T., & Huang, Y. G. (2005). Assessing general maladjustment of trauma survivors with the MMPI-2. *Chinese Journal of Clinical Psychology*, 13(3), 277- 278 (in Chinese).
- Leu, W. H., Ko, Y. H., & Chen, W. Y. (1966). A preliminary report of the tryout of MMPI on the freshmen of National Taiwan University. *Acta Psychologica Taiwanica*, 8, 79-84 (in Chinese).
- Li, Y., Chen, J., Yu, Y., Wang, L., Jia, X., Jiang, W., et al. (2012). Personality characteristics and depression and anxiety symptoms in patients with anorexia nervosa. *Chinese Mental Health Journal*, 26(8), 590-594.

- Li, H., & Si, J. H. (1999). The MMPI personality analysis of 50 violent criminals. *Psychological Science (China)*, 22 (5), 449-450 (in Chinese).
- Li, R., Chen, L., Zhang, C., et al. (2006). MMPI pattern analysis of the patients with somatoform disorders. *Chinese Journal of Behavioral Medical Science*, 2006-06.
- Li, Y., Li, X., Wu, D., et al. (2010). Analysis of MMPI and related assessment scales in patients with compensation neurosis. *Journal of Psychiatry*, 2010-04.
- Li, C., Ning, S., Li, Y., Pan, J., & Li, W. (2007). Investigation on mental problems and related factors of ground service recruits in naval colleges. *Journal of Preventive Medicine of Chinese People's Liberation Army*, 2007-06.
- Li, J., Wang, L., & Li, S. (2006). Analysis of the MMPI scores of middle school students with learning disability. *Medical Journal of Qilu*, 2006-04.
- Li, S., Wang, X., Wang, X., Yao, S., & Luo, J. (2007). Comparison of MMPI in malingers and schizophrenia patients with and without violent offenses. *Chinese Journal of Drug Dependence*, 2007-04.
- Li, Q.L., Yang, Y.F., & Yi, M.C. (2011). Analysis on MMPI test results of medical students. *Chinese Journal of Rehabilitation*, 1, 018.
- Lim, B. K., & Lim, S.. (2013). Counseling in China. In T. H. Hohenshil, N. E. Amundson, & S. G. Niles (Eds.), *Counseling around the world: An international handbook*. (pp. 77-86). Alexandria, VA: American Counseling Association.
- Lin, Q., Zhang, W., Zhou, J., et al. (2007). Analysis of MMPI in patients with chronic occupational n-hexane poisoning. *China Occupational Medicine*, 2007-03.
- Lin, J., Yang, H., Lou, Z., et al. (2007). A study on the correlation between psychosocial factors and low back pain. *Chinese Journal of Rehabilitation Medicine*, 2007-02.
- Liu, C., Liu, Z., Chiu, H. F. K., Tam, W. C., Zhang, H., Wang, P., et al. (2013). Detection of malingering: Psychometric evaluation of the Chinese version of the Structured Interview of Reported Symptoms-2. *BMC Psychiatry*, 13, doi:10.1186/1471-244X-13-254
- Liu, C., Xue, Z., Liu, Z., Tam, W. C. & Wang, Y. (2014). Reliability and validity of the Chinese version of the Structured Interview of Reported Symptoms. *Chinese Mental Health Journal*, 28(2), 108-113.

- Liu, J. X., Jiang, C. Q., & Zhang, X. D. (2002). Effect of K correction on the profile of MMPI in different mentally disordered patients. *Chinese Journal of Clinical Psychology, 10*(2), 140-142 (in Chinese).
- Liu, Z. X., Chen, X. Z., Qin, S. M., Xue, J. F., Hao, W. D., Lu, X. M., Liu, B. L., Man, C. H., & Zhang, Z. H. (2002). Risk factors for female criminals. *Chinese Mental Health Journal, 16* (2), 106-108 (in Chinese).
- Liu, Z. (2008). Initial Research on the Personality Traits of Violent Criminals. *Journal of Jilin Public Security Academy, 2008-04*.
- Liu, Z., Wang, J., Guo, R., et al. (2009). The analysis of personality characteristics of student nurses from polyclinic hospitals. *Chinese Nursing Management, 2009-07*.
- Liu, Z., Wang, Y., Teng, J., et al. (2006). Minnesota multiphasic personality inventory of 20 cases with liver-qi stagnation syndrome. *Chinese Journal of Rehabilitation Theory and Practice, 2006-12*.
- Lu, W., Shi, J., Liu, Z., & Zhou, X. (2008). Study of personality traits of the patients with schizophrenia in different stages. *Medical Journal of National Defending Forces in North China, 2008-05*.
- Lv, X., Han, D., Xi, L., & Zhang, L. (2010). Psychological aspects of female patients with moderate-to-severe persistent allergic rhinitis. *ORL, 72*, 235-241.
- Ma, X., et al. (2009). Clinical comparative analysis of MMPI in first-episode schizophrenic patients. *Journal of Qiqihar Medical College, 2009-05*.
- Ma, L., Wang, J. T., Miao, D. M. (2005). Assessing with the MMPI-2 for Stress Disorders. *Chinese Mental Health Journal, 19* (3), 179-182 (in Chinese).
- National MMPI Coordinating Group (1982). The revision, employment and evaluation of MMPI in China. *Acta Psychologica Sinica, 17*, 346-355 (in Chinese).
- Nie, X., Qiu, C, Zhu, C., et al. (2009). Contrast studies of MMPI between anxiety and depression. *West China Medical Journal, 2009-06*.
- Ning, S., Pan, J., & Sun, X. (2006). Study on how psychological intervention has influenced mental health of military (college) students. *Academic Journal of PLA Postgraduate Medical School, 2006-01*.
- Qian, C., Li, C., & Liu, X. (2006). Analysis on MMPI test results of schizophrenics. *Medical Journal of Chinese People's Health, 2006-11*.

- Qiu, J., Liu, Z., & Yin, C. (2008). Analysis and research on the result of MMPI among the students in junior and senior middle schools and universities of Chongqing. *Chongqing Medicine*, 2008-19.
- Qi, H.H., Zhang, J.H., & Yao, S.Q. (2011). A case-control study of relationship between female breast cancer and personality. *Chinese General Practice*, 29, 014.
- Shang, W., Li, Z., Huang, W., Jiang, H., & Tang, Z. (2008). A study on the correlation between psychological factors and chronic back leg pain. *Chinese Journal of Pain Medicine*, 2008-02.
- Shi, Z., Guo, N. F., & Zhang, J. X. (2004). Evidence for the Congruence between the Chinese MMPI-2 and MMPI in Testing Schizophrenic Patients. *Chinese Mental Health Journal*, 18(1), 42-44 (in Chinese).
- Shi, Z., Zhang, J. X., & Guo, N. F., (2003). Research about consistency of clinical scales between the Chinese MMPI and MMPI - 2. *Chinese Journal of Clinical Psychology*, 11(4), 241-244 (in Chinese).
- Song, W. Z. (1985) Analysis of results of administration of the MMPI to normal Chinese subjects. *Acta Psychologica Sinica*, 17(4), 346-355 (in Chinese).
- Song, W. Z. (1991). Use and evaluation of a modified MMPI in China. *International Journal of Mental Health*, 20(1), 81-93.
- Song, J., Ji, Z., Xu, H., et al. (2006). A controlled analysis about results of Minnesota multiphasic personality inventory (MMPI) of schizophrenic patients in psychiatric expertise. *Nervous Diseases and Mental Health*, 2006-06.
- Song, J., Xu, H., Ji, Z., et al. (2008). A control analysis about the cognition and personality characteristics of psychiatric patients with different responsibilities. *Nervous Diseases and Mental Health*, 2008-05.
- Song, W. Z., Cui, C. Z., Cheung, F. M., & Hong, Y. Y. (1987). Comparison of the personality characteristics of Beijing and Hong Kong students – Content analysis on the MMPI item endorsement differences. *Acta Psychologica Sinica*, 19(3), 263-269 (in Chinese).
- Stevens, M. J., Kwan, K. L., & Graybill, D. F. (1993). Comparison of MMPI-2 scores of foreign Chinese and Caucasian-American students. *Journal of Clinical Psychology*, 49, 23-27.
- Sue, S., & Sue, D. W. (1974). MMPI comparisons between Asian American and Non-Asian students utilizing a student health psychiatric clinic. *Journal of Counseling Psychology*, 21, 423-427.

Sun, Y., Zhang, L., Ancharaz, S. S., Cheng, S., Sun, W., Wang, H., et al. (2016). Decreased fractional anisotropy values in two clusters of white matter in patients with schizotypal personality disorder: A DTI study. *Behavioural Brain Research*, 310, 68-75. doi:10.1016/j.bbr.2016.05.022

Teng, J., Wang, Y., Liu, Z., et al. (2007). Characteristics of Minnesota multiphasic personality inventory in patients with depression. *Chinese Journal of Rehabilitation Theory and Practice*, 2007-01.

Tsai, D. C., & Pike, P. L. (2000). Effects of acculturation on the MMPI-2 scores of AsianAmerican students. *Journal of Personality Assessment*, 74, 216-230.

Wang, X. P., Yang, D. S., Li, L. J., Gao, B. L., Liu, Z. Q., Lu, P. Y., Yang, C. R., & Wang, G. Y. (1995). *Chinese Journal of Clinical Psychology*, 3(4), 227-229 (in Chinese).

Wang, Y. Q., Luo, H., & Wang, L. Q. (2003). Differentiate Indicator of Random Test of MMPI - 2. *Chinese Mental Health Journal*, 17(10), 682-684 (in Chinese).
Zhang, H. C. (1988). Psychological measurement in China. *International Journal of Psychology*, 23(1), 101-117.

Wang, Y., & Chan, D. (2010). Investigation on the Correlation of Psychic Factor and Irritable Bowel Syndrome. *Hebei Medicine*, 2010-01.

Wang, C., & Zhu, J. (2008). An investigation about mental health of undergraduate students. *Health Medicine Research and Practice*, 2008-02.

Wang, J., Zhang, Y., Liu, X., et al. (2007). A comparison of validity of interpersonal perception scale with MMPI in group screening of mental disorder. *Chinese Journal of Clinical Psychology*, 2007-05.

Wang, L., Zhang, J., Shi, Z., Zhou, M., & Li, Z. (2010). Internal consistencies and structural analysis of the MMPI-2 PSY-5 facet subscales in chinese population. *Journal of Psychopathology and Behavioral Assessment*, 32, 150-155.

Wang, D., Zhang, A., & Wu, B. (2006). A comparative analysis of MMPI of 60 schizophrenics. *Medical Journal of Chinese People's Health*, 2006-23.

Wen, H. (2007). Investigation and corresponding research of MMPI for medical freshman. *Suzhou University Journal of Medical Science*, 2007-01.

Xi, L., Zhang, W., Zhao, Y., & Zhang, L. (2011). Minnesota multiphasic personality inventory of patients with allergic rhinitis]. *Zhonghua er bi yan hou tou jing wai ke za zhi = Chinese Journal of Otorhinolaryngology Head and Neck Surgery*, 46, 646.

Xiao, C., Chang, X., Tang, Q., et al. (2006). A comprehensive assessment of mental diathesis to medical students. *Chinese Journal of Clinical Psychology*, 2006-05.

- Xiao, L., Han, J., & Han, J. (2011). The adjustment of new recruits to military life in the chinese army: The longitudinal predictive power of MMPI-2. *Journal of Career Assessment*, 19, 392-404. doi: 10.1177/1069072711409710.
- Xu, B., Ye, L., Han, W., et al. (2009). The relation between the personality of technical school left-behind children and their left-behind experience. *China Practical Medicine*, 2009-09.
- Yan, F., et al. (2008). The correlation between psychiatric symptoms and memory in chronic schizophrenia patients. *Journal of Qiqihar Medical College*, 2008-20.
- Yang, X. (2006). Outcome of MMPI test for police. *Journal of Fujian Safety College*, 2006-03.
- Yang, X. (2007). MMPI psychological adjustment measurement on students in public security universities and colleges. *Journal of Fujian Public Safety College*, 2007-03.
- Yang, Q., Miao, G., Chen, R., et al. (2007). Mental health status and character traits in the parents of patients with bipolar disorder. *Journal of Clinical Psychosomatic Diseases*, 2007-06.
- Yang, F., & Tong, J. (2011). Canonical correlation of defense styles and personality features in patients with borderline personality disorder. *Medical Journal of Chinese People's Health*, 5, 047.
- Yang, Y., & Yuan, Q. (2008). Investigation and analysis on personalities of male codeine phosphate addicts by MMPI. *Chinese Journal of Drug Abuse Prevention and Treatment*, 2008-03.
- Yin, H., Sang, H., Dong, Z., & Zhong, Y. (2010). Result analysis on different mental illness patient MMPI test. *China Medical Herald*, 2010-03.
- You, H., & Tan, L. (2008). Personality traits of alcohol dependent patients and relevant interventions. *Chinese Journal of Drug Dependence*, 2008-02.
- Zaroff, C. M., Davis, J. M., Chio, P. H., & Madhavan, D. (2012). Somatic presentations of distress in China. *Australian and New Zealand Journal of Psychiatry*, 46, 1053-1057. doi:10.1177/0004867412450077
- Zeng, H., Su, D., Jiang, X., Zhu, L., & Ye, H. (2016). The similarities and differences in impulsivity and cognitive ability among ketamine, methadone, and non-drug users. *Psychiatry Research*, 243, 109-114. doi:10.1016/j.psychres.2016.04.095

Zhang, J. X. (1992). A study of K corrections used in Scale 8 and Scale 9 of the Chinese normative version of the MMPI. *Acta Psychologica Sinica*, 24(4), 429-435.

Zhang, L. Y. (2011). Development and application of mental disorders predictive techniques for Chinese soldiers. *Medical Journal of Chinese People's Liberation Army*, 36(11), 1217-1219.

Zhang, J. X., Song, W. Z., & Cheung, F. M. (1999). The MMPI-2 and its standardization in China and Hong Kong. *Chinese Mental Health Journal*, 13(1), 20-23, 29-31 (in Chinese).

Zhao, R., Sun, W., Zhang, L., Bao, Y., Huang, L., Dong, P., et al. (2017). Psychopathology and personality traits associated with driving while intoxicated in Beijing, China: Implications for interventions. *The American*

Zhao, S., & Zheng, R. (2008) Measurement and analysis on mental health status of executive leaders. *Journal of China Executive Leadership Academy Pudong*, 2008-03.

Zhi, M., Miao, D., Xiao, W., Gong, J., & Hu, H. (2006). Analysis on relationship between L scale of MMPI and military personnel selection test. *Department of Psychology, School of Aerospace Medicine, Fourth Military Medical University*, 2006-03, 29. (Chinese)

Zou, J., Jiang, H., Li, P., Xu, X., Guo, H., & Li, L. (2007). Survey with Minnesota Multiphasic Personality Inventory and detection on plasma levels of arginine vasopressin, adrenocorticotrophic hormone, oxytocin in noiseexposed workers. *Chinese Journal of Industrial Medicine*, 2007-03.

Zou, Y. Z., & Zhao, C. Y. (1992). Analysis of the structure validity of the Chinese version of the MMPI. *New Trends in Experimental and Clinical Psychiatry*, 8(1), 29-36.